Author Index

Abbott A, 38
Adams LF, 599
Adams RD, 585
Adams RJ, 543
Adler CH, 625
Agostino A, 118
Ahangari R, 673
Ahmad Z, 414
Albanese A, 14
Albert MS, 282
Albin RL, 767
Allegrini PR, 790
Alonso E, 408
Alsbiei T, 433
Alvarado D, 45
Amalfitano A, 448
Aminoff M, 2
Andres C, 243
Angele B, 319
Ang L, 779
Apfel SC, 8
Arbusow V, 273
Archibald SJ, 69
Ardito B, 794
Årfors L, 467
Arnold SE, 182
Aronowski J, 517
Åsberg A, 786
Asbury AK, 141
Ashizawa T, 271, 408
Auer DP, 763
Aull-Watschinger S, 260
Autret A, 243
Avolio C, 475
Avoni P, 774

Bachman DS, 137
Bac P, 82
Badrising UA, 369
Baek S, 760
Balsamo L, 414
Bamberg M, 247
Bara-Jimenez W, 593
Barber PA, 28
Barboni P, 774
Barkhof F, 467, 652
Barois A, 585
Barthez MA, 340
Baruzzi A, 774
Bates GP, 235
Battistuta J, 51
Bauer I, 662
Bauer J, 311
Bauer P, 662
Baulac M, 202
Baumgartner C, 260
Beckett L, 145
Beck RW, 481
Bellan M, 774
Bennett DA, 145, 182
Benöhr C, 247
Bentivoglio AR, 14
Benveniste H, 113
Bergers E, 652
Berkovic SF, 442, 641
Berlangieri SU, 442
Berman NEJ, 499
Berry K, 190
Bertini E, 681
Bertolino A, 156
Bertram EH III, 175, 559
Beydoun A, 45
Beyreuther K, 783
Biedermann L, 790
Bien CG, 311
Bienias JL, 182
Biran-Mucignat V, 340
Bitting RL, 448
Bittner D, 491
Bjartmar C, 51
Bjerve KS, 786
Blakemore C, 235
Blanck TJJ, 634
Blauw GJ, 716
Blezer ELA, 652
Blumhardt LD, 467
Blum WF, 660
Boerkoel CF, 190, 709
Boeve BF, 625
Bogousslavsky J, 417
Bolay H, 507
Boller F, 2
Bonifati V, 14, 253
Bonneau D, 340
Bönnemann C, 750
Bootsma-van der Wiel A, 716
Bossberg P, 625
Bot JCJ, 652
Bouilleret V, 202
Boustany RMN, 448
Bowyer S, 499
Brancati F, 14, 681
Brandis M, 656
Brandt T, 273
Breakefield XO, 621
Breedveld FC, 369
Breedveld GJ, 253
Breteler MMB, 14, 285
Briand M, 779
Briand Y, 779
Brice A, 14, 408
Briellmann RS, 641
Brodtkorb E, 137
Brooks S, 660
Brooks WS, 795
Brophy PJ, 709
Brosnan CF, 694
Brown GK, 139
Brown RH Jr., 129
Brown RM, 139
Brugger W, 247
Brustenghi P, 253
Buchwald B, 673
Bugarini R, 475
Burlet P, 585
Bushby K, 585
Bütefisch CM, 59
Butler IJ, 190
Byrnes AA, 165

Callicott JH, 156
Camu W, 243
Camuzat A, 408
Cannella M, 253
Caputo V, 14, 681
Caracciolo M, 794
Carelli V, 774
Carrara F, 118
Carter JH, 686
Castelijns JA, 652
Ceuterick C, 709
Chalaron M, 417
Chalk J, 28
CHAMPS Study Group, 481
Chandler DL, 481
Chang HW, 760
Chan JW, 536
Charnet P, 102
Chase TN, 156
Chattopadhyay M, 19
Cheng H, 381
Cheng Y, 414
Chew NK, 703
Chiarugi A, 507
Chong HT, 703
Chong WK, 139
Choudhuri R, 499
Chua KB, 703
Clarke R, 285
Classen J, 59
Claudino AM, 740
Cochran EJ, 145, 182
Cohen LG, 59, 122
Cole AJ, 276
Cole SR, 481
Colier WNJM, 272
Colombo B, 330
Comi G, 330
Conant K, 276
Conforti FL, 794
Conforto AB, 122
Cooper EC, 414
Cooper JA, 481
Corcia P, 243
Cordery PM, 235
Corona P, 118
Cortelli P, 14
Costanti D, 681
Cote LJ, 722
Crinion J, 553
Cros DP, 585
Cui L, 499

Dalakas, 667
Dallapiccola B, 14, 681
Dambrosia JM, 593
Darby DG, 28
Davis BC, 59
Davis MB, 14, 740
Davis SM, 28
Deckert M, 247, 311
Deckwerth TL, 311
de Craen AJM, 716
Deelen W, 373
de Jager AE, 369
De Jonghe P, 709
DeKosky ST, 145
DeLaPaz R, 290
DelGaizo D, 414
De Luna N, 129
De Michele G, 14
Denckla MB, 801
Derfuss T, 273
De Robertis F, 475
Desmond PM, 28
Desmond TJ, 767
Dessainte M, 585
de Toffol B, 243
de Visser M, 369
Dhar S, 448
Dichgans J, 247
Dieterich M, 361
DiMauro S, 634
Di Monte DA, 531
Ding H, 393
Doherty C, 276
Donarum E, 414
Donnan GA, 28
Dooijes D, 373
Dormont D, 797
Dotti MT, 118
D'Souza J, 613
Duffner PK, 257
Dumitrescu-Ozimek L, 694
Duncan ID, 215
Duncan JS, 740
Dupont S, 202
Dupree E, 51
Dürr A, 14, 408

Edenius C, 467
Elger CE, 311
Engel AG, 224
Engel C, 247
Ensenauer R, 656
Epplen JT, 662

January issue, pp 1–142; February issue, pp 143–278; March issue, pp 279–414; April issue, pp 415–536; May issue, pp 537–666; June issue, pp 667–822.

 © 2002 Wiley-Liss, Inc.

Author Index

Abbott A, 38
Adams LF, 599
Adams RD, 585
Adams RJ, 543
Adler CH, 625
Agostino A, 118
Ahangari R, 673
Ahmad Z, 414
Albanese A, 14
Albert MS, 282
Albin RL, 767
Allegrini PR, 790
Alonso E, 408
Alsbiei T, 433
Alvarado D, 45
Amalfitano A, 448
Aminoff M, 2
Andres C, 243
Angele B, 319
Ang L, 779
Apfel SC, 8
Arbusow V, 273
Archibald SJ, 69
Ardito B, 794
Årfors L, 467
Arnold SE, 182
Aronowski J, 517
Åsberg A, 786
Asbury AK, 141
Ashizawa T, 271, 408
Auer DP, 763
Aull-Watschinger S, 260
Autret A, 243
Avolio C, 475
Avoni P, 774

Bachman DS, 137
Bac P, 82
Badrising UA, 369
Baek S, 760
Balsamo L, 414
Bamberg M, 247
Bara-Jimenez W, 593
Barber PA, 28
Barboni P, 774
Barkhof F, 467, 652
Barois A, 585
Barthez MA, 340
Baruzzi A, 774
Bates GP, 235
Battistuta J, 51
Bauer I, 662
Bauer J, 311
Bauer P, 662
Baulac M, 202
Baumgartner C, 260
Beckett L, 145
Beck RW, 481
Bellan M, 774
Bennett DA, 145, 182
Benöhr C, 247
Bentivoglio AR, 14
Benveniste H, 113
Bergers E, 652
Berkovic SF, 442, 641
Berlangieri SU, 442
Berman NEJ, 499
Berry K, 190
Bertini E, 681
Bertolino A, 156
Bertram EH III, 175, 559
Beydoun A, 45
Beyreuther K, 783
Biedermann L, 790
Bien CG, 311
Bienias JL, 182
Biran-Mucignat V, 340
Bitting RL, 448
Bittner D, 491
Bjartmar C, 51
Bjerve KS, 786
Blakemore C, 235
Blanck TJJ, 634
Blauw GJ, 716
Blezer ELA, 652
Blumhardt LD, 467
Blum WF, 660
Boerkoel CF, 190, 709
Boeve BF, 625
Bogousslavsky J, 417
Bolay H, 507
Boller F, 2
Bonifati V, 14, 253
Bonneau D, 340
Bönnemann C, 750
Bootsma-van der Wiel A, 716
Bossberg P, 625
Bot JCJ, 652
Bouilleret V, 202
Boustany RMN, 448
Bowyer S, 499
Brancati F, 14, 681
Brandis M, 656
Brandt T, 273
Breakefield XO, 621
Breedveld FC, 369
Breedveld GJ, 253
Breteler MMB, 14, 285
Briand M, 779
Briand Y, 779
Brice A, 14, 408
Briellmann RS, 641
Brodtkorb E, 137
Brooks S, 660
Brooks WS, 795
Brophy PJ, 709
Brosnan CF, 694
Brown GK, 139
Brown RH Jr., 129
Brown RM, 139
Brugger W, 247
Brustenghi P, 253
Buchwald B, 673
Bugarini R, 475
Burlet P, 585
Bushby K, 585
Bütefisch CM, 59
Butler IJ, 190
Byrnes AA, 165

Callicott JH, 156
Camu W, 243
Camuzat A, 408
Cannella M, 253
Caputo V, 14, 681
Caracciolo M, 794
Carelli V, 774
Carrara F, 118
Carter JH, 686
Castelijns JA, 652
Ceuterick C, 709
Chalaron M, 417
Chalk J, 28
CHAMPS Study Group, 481
Chandler DL, 481
Chang HW, 760
Chan JW, 536
Charnet P, 102
Chase TN, 156
Chattopadhyay M, 19
Cheng H, 381
Cheng Y, 414
Chew NK, 703
Chiarugi A, 507
Chong HT, 703
Chong WK, 139
Choudhuri R, 499
Chua KB, 703
Clarke R, 285
Classen J, 59
Claudino AM, 740
Cochran EJ, 145, 182
Cohen LG, 59, 122
Cole AJ, 276
Cole SR, 481
Colier WNJM, 272
Colombo B, 330
Comi G, 330
Conant K, 276
Conforti FL, 794
Conforto AB, 122
Cooper EC, 414
Cooper JA, 481
Corcia P, 243
Cordery PM, 235
Corona P, 118
Cortelli P, 14
Costanti D, 681
Cote LJ, 722
Crinion J, 553
Cros DP, 585
Cui L, 499

Dalakas, 667
Dallapiccola B, 14, 681
Dambrosia JM, 593
Darby DG, 28
Davis BC, 59
Davis MB, 14, 740
Davis SM, 28
Deckert M, 247, 311
Deckwerth TL, 311
de Craen AJM, 716
Deelen W, 373
de Jager AE, 369
De Jonghe P, 709
DeKosky ST, 145
DeLaPaz R, 290
DelGaizo D, 414
De Luna N, 129
De Michele G, 14
Denckla MB, 801
Derfuss T, 273
De Robertis F, 475
Desmond PM, 28
Desmond TJ, 767
Dessainte M, 585
de Toffol B, 243
de Visser M, 369
Dhar S, 448
Dichgans J, 247
Dieterich M, 361
DiMauro S, 634
Di Monte DA, 531
Ding H, 393
Doherty C, 276
Donarum E, 414
Donnan GA, 28
Dooijes D, 373
Dormont D, 797
Dotti MT, 118
D'Souza J, 613
Duffner PK, 257
Dumitrescu-Ozimek L, 694
Duncan ID, 215
Duncan JS, 740
Dupont S, 202
Dupree E, 51
Dürr A, 14, 408

Edenius C, 467
Elger CE, 311
Engel AG, 224
Engel C, 247
Ensenauer R, 656
Epplen JT, 662

January issue, pp 1–142; February issue, pp 143–278; March issue, pp 279–414; April issue, pp 415–536; May issue, pp 537–666; June issue, pp 667–822.

 © 2002 Wiley-Liss, Inc.

Eslinger PJ, 666
Estourner B, 585
European Consortium on Genetic Susceptibility in Parkinson's Disease, 14
Evin G, 783
Evrard P, 82

Fabbrini G, 253
Fagius J, 467
Fahn S, 604
Falck B, 648
Falini A, 330
Fardeau M, 750
Farina L, 138
Farrell F, 740
Farrer M, 7
Faucheux BA, 797
Feder EH, 662
Feinstein DL, 694
Feinstein SC, 730
Felberg RA, 517
Ferrari MD, 369
Ferraris A, 14
Ferreiro A, 750
Filippi M, 330
Filla A, 14
Finckh B, 388
Fink DJ, 19
Fink JK, 45, 669
Fisher PG, 257
Flavell RA, 319
Fong SYY, 578
Fontana A, 319
Ford B, 407
Frederiksen K, 377
French ALS Research Group, 243
Frey KA, 767
Frucht S, 407
Fujigasaki H, 408
Fujino Y, 771
Fukazawa T, 645
Funuyama M, 296
Furukawa Y, 637, 779
Futamura N, 385

Gabriele AL, 794
Gaillard WD, 414
Galea E, 694
Gallardo E, 129
Gandy SE, 795
Garcia CA, 190
Garrels J, 621
Gasser T, 14
Gavrilyuk V, 694
Gélot A, 340
Gencik M, 662
Gencikova A, 662
German Cancer Society Neuro-Oncology Work Group (NOA), 247
Gerraty RP, 28
Gilden DH, 273
Giuliani F, 475
Glorioso JC, 19
Goadsby PJ, 140
Goedert M, 373
Goetz BD, 215
Goh KJ, 703
Goldberg TE, 156
Goldstein SR, 593
Gomez CM, 102
Goss J, 19
Goto Y, 645
Grafton ST, 142
Graham EA, 14
Greco M, 118
Gressens P, 82
Griggs RC, 2
Grön G, 491
Grossman M, 730
Groth DM, 795
Grotta JC, 517
Guha A, 393
Guicheney P, 750
Guidetti D, 118
Gussekloo J, 716
Gutmann DH, 393
Guttman M, 779
Gwinn-Hardy K, 7

Hachinski V, 2
Haenggeli CA, 750
Hagen K, 786
Haïk S, 797
Haller RG, 38
Hallett M, 2, 93, 593
Halliday GM, 125
Hallmayer J, 795
Hankey GJ, 275, 279
Han LY, 182
Hannan AJ, 235
Harding AJ, 125
Harhangi BS, 14, 253
Hasegawa K, 296
Hasegawa M, 525
Hashimoto M, 209
Hauw JJ, 797
Hayashi S, 525
Haycock JW, 637
Hedera P, 45
Hedley R, 795
Hedrich K, 621
Hedrick NM, 393
Heerdt PM, 634
Heiss WD, 533
Heneka MT, 694
Herms J, 302
Herrlinger U, 247
Herzog AG, 539
Heutink P, 253, 373
Hillert J, 467
Hill-Felberg SJ, 517
Hillis AE, 537
Hirono N, 209
Ho CKW, 578
Ho LT, 381
Ho M, 129
Hockly E, 235
Hofman A, 285
Höllt V, 260
Holmes SE, 662
Holsboer F, 763
Holsinger RMD, 783
Hoogendijk JE, 369
Houx P, 716
Houzen H, 645
Howard D, 553
Höweler CJ, 369
Hsieh HM, 381
Hsieh JC, 381
Huang S, 19
Huang Z, 393
Hulette CM, 730
Husson I, 82
Hveem K, 786
Hwang JM, 630
Hyder DJ, 257
Hyde TM, 156

Ikonomovic MD, 145
Illa I, 129
Imbimbo BP, 794
Inoue H, 771
Iwatsubo T, 525

Jääskeläinen SK, 648
Jackson AC, 406
Jackson GD, 641
Jacobs H, 621
Jacobs LD, 481
Jansen PJ, 448
Janssen A, 388
Jehle R, 634
Jennekens FGI, 369
Johnson J, 190
Johnson MR, 740
Johnson PC, 800
Johnson RT, 1, 2, 410
Jucker M, 790
Juel VC, 648
Jungbluth H, 750
Jusoh MR, 703

Kaelin-Lang A, 122
Kalimo H, 648
Kalman B, 661
Kamijo M, 532
Kamphorst W, 373, 652
Kanazawa I, 133, 534
Kann M, 621
Kanz L, 247
Kapatos G, 637
Kaplan PW, 800
Karp CL, 165
Kartje GL, 433
Kaufmann WE, 665
Kazui H, 209
Keesey J, 102
Kennard C, 2
Kennedy S, 190
Khademi M, 467
Khoris J, 243
Kieburtz K, 604
Kiely JM, 559
Killestein J, 467
Kim H, 760
Kim JY, 630
Kim M, 760
King MA, 641
Kinkel P, 481
Kinton L, 740
Kish SJ, 637, 779
Klein C, 621
Kleinknecht B, 585
Klein RM, 499
Kobayashi K, 133, 534
Koeberl DD, 448
Koedel U, 319
Koehler PJ, 369
Koga M, 532
Komaki H, 645
Könst AAM, 264
Kopylev L, 59
Kordower JH, 145
Koroshetz WJ, 415
Kortmann RD, 247
Koudstaal PJ, 285
Kowa H, 296
Krajewski K, 190
Krarup C, 69
Krauseneck P, 247
Kraut MA, 377
Krebs A, 302
Krude H, 388
Krueger BR, 224
Küker W, 247
Kumar S, 703
Kümpfel T, 763
Kuncl RW, 536
Kusuhara T, 771
Kwon S, 760

Laccone F, 302, 662
Lakay B, 125
Lamantea E, 118
Lam CW, 578
Lammers GJ, 660
Landreth GE, 694
Landtblom AM, 467
Landwehrmeyer GB, 302
Lang A, 604
Lang AE, 2
Langston JW, 531, 604
Laquerrière A, 340
Lasalde-Dominicci J, 102
Laskowitz DT, 113
Lassmann H, 311
Lastilla M, 794
Lea ES, 686
Lee K, 760
Lee KU, 209
Lee VMY, 182, 730
Leegwater PAJ, 264
Lefebvre S, 585
Leff A, 553
LeGuern E, 408
Lehnert W, 656
Lemainque A, 750
Lennon VA, 625
Leonard JV, 139
Leroy JP, 750
Leung T, 578

Lev MH, 415
Levy G, 722
Levy LM, 93
Lewis CM, 235
LeWitt P, 604
Liao KK, 381
Liguori M, 475
Liguori R, 648
Lindenberg KS, 302
Linington C, 215
Li RHY, 578
Lisak R, 2
Livrea P, 475
Llinas RH, 664
Lockhart E, 448
Loh YL, 703
Louis ED, 407, 722
Lunardi J, 750
Lupski JR, 190, 709
Lycklama a Nijeholt GJ, 652
Lynch JR, 113

Maat-Schieman MLC, 369
Macfarlane PW, 716
Madison RD, 69
Maeder P, 417
Magariello A, 794
Mahal A, 235
Mancias P, 190
Mandler RN, 661
Mann D, 730
Marder K, 722
Margolis RL, 662
Mariotti C, 118
Markesbery WR, 567
Marret S, 340
Marrosu MG, 475
Marsault C, 797
Martin JJ, 709
Martins RN, 795
Maselli RA, 102
Masters CL, 783
Mata M, 19
Matsui M, 209
Matsuura T, 271, 408
Mattay VS, 156
Mayatepek E, 388
Mayeux-Portas V, 243
Mayeux R, 290
Mazzei R, 794
McArthur JC, 165, 665
McDonald WI, 534
McKenna-Yasek D, 129
McLean CA, 783
Meador KJ, 142
Meco G, 14, 253
Meisner C, 247
Mejia H, 722
Melanson M, 406
Mergenthaler HG, 247
Meschia JF, 625
Mesenbrink PJ, 613
Mesplès B, 82
Meuli R, 417
Mignot E, 660
Miller BL, 730
Minahan RE, 410
Minassian BA, 648
Mitchell TW, 182
Mohrmann K, 621
Momose Y, 133, 534
Monnier N, 750
Montagna P, 253
Moon T, 760
Morgan D, 113
Morganstern LB, 411
Mori E, 209
Mori S, 377
Morris JC, 143
Morris-Rosendahl DJ, 662
Moskowitz MA, 507
Mufson EJ, 145, 182
Muglia M, 794
Müh JP, 243
Mulder DW, 663
Munnich A, 585
Murata M, 133, 534
Murray TJ, 481
Murugasu P, 703

Naidich TP, 361
Naidu S, 264
Nakabayashi Y, 133, 534
Nakajima M, 771
Narayana P, 517
Natale J, 414
Navedo M, 102
Neuro-Oncology Work Group (NOA), 247
Nevsimalova S, 660
Newsom-Davis J, 2
Nicolay K, 652
Nicoletti G, 794
Niederhoff H, 656
Niemi P, 648
Niermeijer MF, 373
Nishimoto Y, 532
Nishino S, 660
Nissanov J, 182
Nivoche Y, 750
Noguchi PS, 593
Nonaka I, 645
Noordmans HJ, 350
Nutt JG, 686
Nygaard TG, 637

Oakes D, 604
Obata F, 296
O'Brien TE, 433
Okun M, 660
Olanow CW, 604
Olney RK, 190
Olsson T, 467
Oostra BA, 14, 253
Ottman R, 407
Oudejans CBM, 264
Oudkerk M, 285
Overeem S, 660
Ozelius LJ, 621

Pallotti F, 774
Paolicelli D, 475
Papadopoulos CM, 433
Parisi JE, 625
Parkinson Study Group, 604
Park SS, 630
Parsons MW, 28
Patitucci A, 794
Patrono C, 681
Pavlakis SG, 543
Pearlman EM, 257
Pearn J, 585
Pedley TA, 2
Penney JB, 604
Pershadsingh HA, 694
Petereit HF, 533
Peters H, 662
Pfister HW, 319
Pickering-Brown S, 730
Pineda JA, 113
Pollmächer T, 660
Polman CH, 467, 652
Pomper MG, 377
Popovic N, 215
Pramstaller PP, 621
Prasad A, 175
Prengler M, 543
Prohovnik I, 543
Pronk JC, 264
Protell P, 531

Quattrone A, 794
Quigg M, 559
Quik M, 531

Radi S, 340
Rahman S, 139
Rajput AH, 779
Ramsey NF, 350
Rance JB, 740
Rasmussen A, 408
Ratan RR, 664
Ravid R, 373, 652
Rawal N, 14
Rebeiz JG, 585
Rechsteiner M, 302
Reichhart M, 417
Rengo C, 774
Reutens DC, 442
Reuter U, 507
Rice G, 481
Riepe MW, 491
Riess O, 302, 662
Rifai Z, 585
Riley KP, 567
Ripley B, 660
Rizzu P, 253
Rocca MA, 330
Rodriguez D, 340
Rogers W, 660
Rojas L, 102
Rolfs A, 662
Romero NB, 750
Ronnett GV, 275
Rose JW, 481
Rosenberg RN, 2
Rose S, 28
Ross CA, 662
Rossiter JP, 406
Rosso SM, 373
Rubinow DR, 599
Rudolph A, 604
Ruiter JPN, 656
Russo P, 190
Rutten GJM, 350
Rylova SN, 448

Sachdeo RC, 613
Saito M, 296
Saling MM, 442
Samson Y, 202
Sander JWA, 740
Sandrock AW, 481
Sarji SA, 703
Saugier-Veber P, 340
Savoiardo M, 138
Sawaki L, 59
Scavina M, 190
Schabet M, 247
Schlame M, 634
Schmeck-Lindenau HJ, 247
Schmelz M, 388
Schmid UD, 361
Schmidt PJ, 599
Schmidt T, 302
Schmitz B, 491
Schneider JA, 182
Schnyder P, 417
Schöls L, 302
Schott K, 102
Schramm J, 311
Schröder JM, 709
Schubart A, 215
Schuelke M, 388
Schuld A, 660
Schumacher K, 621
Schumann EM, 763
Schupf N, 722
Schutgens RBH, 264
Schwab KO, 656
Schwab ME, 433
Schwinger E, 621
Scott S, 553
Scotti G, 330
Selcen D, 224
Selhorst JB, 481
Selzer ME, 2
Semah F, 202
Severijnen LA, 373
Sexton GJ, 686
Shah K, 730
Shirzadi AL, 517
Shivakumar S, 414
Shneker B, 559
Shoulson I, 604
Shuck T, 730
Shy M, 190
Silverman IE, 535
Simon JH, 481
Simpson PJ, 275
Small SA, 290

Smeitink J, 388
Smith MJ, 373, 599
Smith SJM, 740
Snowdon DA, 567
Soerensen PS, 2
Solaiyappan M, 377
Spelle L, 202
Spierings ELH, 139
Squitieri F, 253
Staufenbiel M, 790
Stephan D, 414
Stern Y, 290, 722
Stevanin G, 408
Stevens J, 740
Stieltjes B, 377
Stiles JR, 102
Stögmann E, 260
Stoll G, 532
Stolle CA, 257
Stovner LJ, 786
Straub V, 750
Strong R, 517
Strupp M, 273
Styren SD, 145
Sugie K, 385
Susuki K, 532
Suzuki M, 767
Suzumura A, 385
Svenningsson A, 467
Syngeniotis A, 641

Tachikawa M, 133, 534
Taivassalo T, 38
Takahashi H, 525
Takashima H, 190, 709
Tan CT, 703
Tan KS, 703
Tan L, 531
Tang MX, 722
Tanner C, 604
Tardieu S, 408
Tate G, 385
Tedeschi G, 794
Teebi AS, 190
Terada N, 51
Tessitore A, 156
Thayaparan T, 703
Theil D, 273
Then Bergh F, 763
Thiran JP, 417
Thorstensen K, 786
Timmerman V, 709
Toda T, 133, 534
Togasaki DM, 531
Tokiguchi S, 525
Tolnay M, 790
Tontiplaphol A, 257
Torroni A, 774
Toutain A, 340
Towbin JA, 634
Toyka KV, 532, 673
Toyoshima Y, 525
Trapp BD, 51
Trefz F, 388
Trenkwalder C, 763
Tress BM, 28
Trijbels F, 388
Trojano M, 475
Trojanowski JQ, 182, 730
Tsai SY, 433
Tsai WY, 290
Tsuji S, 296
Tuchman R, 277
Tuite P, 625
Turkheimer F, 553

Udd B, 648
Umeda Y, 525
Umehara F, 385
Urtizberea JA, 585
Uryu K, 730
Uziel G, 138

Valente EM, 14, 681
Valentino ML, 774
Vamecq J, 82
Vanacore N, 253
van Beekvelt MCP, 272
van Dellen A, 235
van der Knaap MS, 264
van der Valk P, 652
van Dijk EJ, 285
van Doorn PA, 369
van Duijn CM, 253
van Engelen BGM, 272, 369
van Exel, 716
van Herpen E, 373
Vankova J, 660
van Rijen PC, 350
van Swieten JC, 373
van Veelen CWM, 350
van Zijl PCM, 377
Veldhuis JD, 559
Verity A, 102
Vermeer SE, 285
Vernino S, 625
Verschuuren JJ, 369
Vial E, 585
Viddeleer A, 369
Vieregge P, 621
Vigouroux S, 779
Villanova M, 648
Viollet L, 585
Visser A, 264
Vohra BPS, 102
Voit T, 709, 750
Vortmeyer AO, 257
Voss WD, 750

Wakabayashi K, 525
Waldvogel D, 59
Wallström E, 467
Wanders RJA, 656
Warach S, 11
Warner DS, 113
Wassermann EM, 599
Wasserstein A, 613
Wassilowsky D, 14
Watson MA, 393
Weber BHF, 662
Weinberg G, 694
Weinberger DR, 156
Weiner WJ, 410, 531
Weintrob DL, 442
Weirich H, 662
Weishaupt A, 673
Welch KMA, 499
Weller M, 247
Wenning GK, 662
Wessels JAM, 369
Westendorp RGJ, 716
Wevers RA, 272
Whisnant JP, 663
Whitacre CC, 694
Wiegers K, 621
Wiendl H, 311
Wiessner C, 790
Wiestler OD, 247, 311
Willemsen R, 373
Williams A, 709
Williams LL, 190
Williamson JM, 175
Wing YK, 578
Winkler DT, 790
Winkler F, 319
Wintermark M, 417
Wintzen AR, 369
Wise R, 553
Wisniewski S, 145
Wolfe D, 19
Wollmann RW, 102
Wong H, 637, 779
Wong KT, 703
Wood NW, 14, 740
Woodman B, 235
Worsley J, 637
Wright PM, 28
Wu YT, 381
Wunderlich AP, 491
Wyrick P, 38

Xu B, 414

Yamada T, 771
Yasuda M, 209
Yeh TC, 381
Yong C, 499
Yoshida K, 645
Young RR, 407
Yousry I, 361
Yousry TA, 361
Yuki N, 532

Zarhrate M, 585
Zeuner KE, 593
Zeviani M, 118, 138
Zhang L, 113
Zhang SC, 215
Zhuang Z, 257
Zhukareva V, 730
Zielasek J, 532
Zimatore GB, 475
Zimprich A, 260
Zimprich F, 260
Zochodne D, 2
Zwinderman AH, 369

Subject Index

N-Acetylaspartate
N-acetylaspartate is an axon-specific marker of mature white matter in vivo: a biochemical and immunohistochemical study on the rat optic nerve (Bjartmar et al) 2002;51:51

Acetylhydrolase
platelet-activating factor acetylhydrolase activity in cerebrospinal fluid of children with acute systemic or neurological illness (Chang et al) 2002;51:760

Acute illness
platelet-activating factor acetylhydrolase activity in cerebrospinal fluid of children with acute systemic or neurological illness (Chang et al) 2002;51:760

Adenine nucleotide translocator 1 gene
a novel D104G mutation in the adenine nucleotide translocator 1 gene in autosomal dominant progressive external ophthalmoplegia patients with mitochondrial DNA with multiple deletions (Komaki et al) 2002;51:645

Adipose tissue thickness
near-infrared spectroscopy in chronic progressive external ophthalmoplegia: adipose tissue thickness confounds decreased muscle oxygen consumption (van Beekvelt et al) 2002;51:272 (Letter)

Adrenal gland
activity of the hypothalamic-pituitary-adrenal axis in multiple sclerosis: correlations with gadolinium-enhancing lesions and ventricular volume (Schumann et al) 2002;51:763

Aerobic exercise
venous oxygen levels during aerobic forearm exercise: an index of impaired oxidative metabolism in mitochondrial myopathy (Taivassalo et al) 2002;51:38

Age-related disability
age-related disability in multiple sclerosis (Trojano et al) 2002;51:47[E]

Age-related disease
memory decline: the boundary between aging and age-related disease (Albert) 2002;51:282 (Editorial)

Aging
combined effect of age and severity on the risk of dementia in Parkinson's disease (Levy et al) 2002;51:722
imaging hippocampal function across the human life span: is memory decline normal or not? (Small et al) 2002;51:290
memory decline: the boundary between aging and age-related disease (Albert) 2002;51:282 (Editorial)
parahippocampal tau pathology in helathy aging, mild cognitive impairment, and early Alzheimer's disease (Mitchell et al) 2002;51:182

Alzheimer's disease
accelerated hippocampal atrophy in Alzheimer's disease with apolipoprotein E ε4 allele (Mori et al) 2002;51:209
Alzheimer's neurofibrillary pathology and the spectrum of cognitive function: findings from the Nun Study (Riley et al) 2002;51:567
association of interleukin-1 polymorphisms with Alzheimer's disease in Australia (Hedley et al) 2002;51:795 (Letter)
challenging assumptions about Alzheimer's disease: mild cognitive impairment and the cholinergic hypothesis (Morris) 2002;51:143 (Editorial)
increased expression of the amyloid precursor β-secretase in Alzheimer's disease (Holsinger et al) 2002;51:783
striatal monoaminergic terminals in Lewy body and Alzheimer's dementias (Suzuki et al) 2002;51:767
subjective memory complaints: objective neural markers in patients with Alzheimer's disease and major depressive disorder (Grön et al) 2002;51:491
toxicity of β-amyloid vaccination in patients with Alzheimer's disease (Imbimbo) 2002;51:794 (Letter)

Alzheimer's disease, early
parahippocampal tau pathology in helathy aging, mild cognitive impairment, and early Alzheimer's disease (Mitchell et al) 2002;51:182

D-Amphetamine
modulation of use-dependent plasticity by D-amphetamine (Bütefisch et al) 2002;51:59

Amyloid
increased expression of the amyloid precursor β-secretase in Alzheimer's disease (Holsinger et al) 2002;51:783
thrombolysis induces cerebral hemorrhage in a mouse model of cerebral amyloid angiopathy (Winkler et al) 2002;51:790

β-Amyloid
toxicity of β-amyloid vaccination in patients with Alzheimer's disease (Imbimbo) 2002;51:794 (Letter)

Amyotrophic lateral sclerosis
abnormal SMN1 gene copy number is a susceptibility factor for amyotrophic lateral sclerosis (Corcia et al) 2002;51:243

AN-1790
toxicity of β-amyloid vaccination in patients with Alzheimer's disease (Imbimbo) 2002;51:794 (Letter)

Animal models
N-acetylaspartate is an axon-specific marker of mature white matter in vivo: a biochemical and immunohistochemical study on the rat optic nerve (Bjartmar et al) 2002;51:51
environmental enrichment slows disease progression in R6/2 Huntington's disease mice (Hockly et al) 2002;51:235
factors that influence peripheral nerve regeneration: an electrophysiological study of the monkey median nerve (Krarup et al) 2002;51:69
functional recovery and neuroanatomical plasticity following middle cerebral artery occlusion and IN-1 antibody treatment in the adult rat (Papadopoulos et al) 2002;51:433
genome-wide gene expression profiles in four regions of the developing mouse brain (DelGaizo et al) 2002;51:414 (Correction)
levodopa-induced dyskinesias in normal squirrel monkeys (Togasaki et al) 2002;51:531 (Reply)

January issue, pp 1–142; February issue, pp 143–278; March issue, pp 279–414; April issue, pp 415–536; May issue, pp 537–666; June issue, pp 667–822.

© 2002 Wiley-Liss, Inc.

levodopa-induced dyskinesias in normal squirrel monkeys (Weiner) 2002;51:531 (Letter)
melatoninergic neuroprotection of the murine periventricular white matter against neonatal excitotoxic challenge (Husson et al) 2002;51:82
mouse glioma gene expression profiling identifies novel human glioma-associated genes (Gutmann et al) 2002;51:393
myelin-derived glycolipids and animal models of Guillain-Barré syndrome (Toyka et al) 2002;51:532 (Letter)
myelin-derived glycolipids and animal models of Guillain-Barré syndrome (Yuki et al) 2002;51:532 (Reply)
role of caspase-1 in experimental pneumococcal meningitis: evidence from pharmacologic caspase inhibition and caspase-1-deficient mice (Koedel et al) 2002;51:319
thrombolysis induces cerebral hemorrhage in a mouse model of cerebral amyloid angiopathy (Winkler et al) 2002;51:790

Antibodies
antibody-mediated suppression of Vβ5.2/5.3$^+$ T cells in multiple sclerosis: results from an MRI-monitored phase II clinical trial (Killestein et al) 2002;51:467
blockade of blocking antibodies in Guillain-Barré syndromes: "unblocking" the mystery of action of intravenous immunoglobulin (Dalakas) 2002;51:667 (Editorial)
functional recovery and neuroanatomical plasticity following middle cerebral artery occlusion and IN-1 antibody treatment in the adult rat (Papadopoulos et al) 2002;51:433
intravenous immunoglobulins neutralize blocking antibodies in Guillain-Barré syndrome (Buchwald et al) 2002;51:673
paraneoplastic chorea associated with CRMP-5 neuronal antibody and lung carcinoma (Vernino et al) 2002;51:625

Apolipoprotein E
accelerated hippocampal atrophy in Alzheimer's disease with apolipoprotein E ε4 allele (Mori et al) 2002;51:209
apolipoprotein E affects the central nervous system response to injury and the development of cerebral edema (Lynch et al) 2002;51:113

Apoptosis; *see* Cell death

Aspirin
discontinuing chronic aspirin therapy: another risk factor for stroke? (Bachman) 2002;51:137 (Letter)

ATM-027
antibody-mediated suppression of Vβ5.2/5.3$^+$ T cells in multiple sclerosis: results from an MRI-monitored phase II clinical trial (Killestein et al) 2002;51:467

ATTCT repeats
polymerase chain reaction amplification of expanded ATTCT repeat in spinocerebellar ataxia type 10 (Matsuura and Ashizawa) 2002;51:271 (Letter)

Auditory comprehension
auditory comprehension of language in young children: neural networks identified with fMRI (Ahmad et al) 2002;51:414 (Correction)

Australia
association of interleukin-1 polymorphisms with Alzheimer's disease in Australia (Hedley et al) 2002;51:795 (Letter)

Autoimmune encephalomyelitis
inhibition of autoimmune encephalomyelitis by a tetracycline (Popovic et al) 2002;51:215
peroxisome proliferator-activated receptor-γ agonists prevent experimental autoimmune encephalomyelitis (Feinstein et al) 2002;51:694

Autophagy
electrophysiological findings in X-linked myopathy with excessive autophagy (Jääskeläinen et al) 2002;51:648

Avonex
interferon β-1a for early multiple sclerosis: CHAMPS trial subgroup analyses (Beck et al) 2002;51:481

Barth syndrome
deficiency of tetralinoleoyl-cardiolipin in Barth syndrome (Schlame et al) 2002;51:634

Batten disease
flupirtine blocks apoptosis in Batten patient lymphoblasts and in human postmitotic CLN3- and CLN2-deficient neurons (Dhar et al) 2002;51:448

Biomarkers
N-acetylaspartate is an axon-specific marker of mature white matter in vivo: a biochemical and immunohistochemical study on the rat optic nerve (Bjartmar et al) 2002;51:51

Biopterin
brain biopterin and tyrosine hydroxylase in asymptomatic dopa-responsive dystonia (Furukawa et al) 2002;51:637

"Black hole" model
cell death in experimental intracerebral hemorrhage: the "black hole" model of hemorrhagic damage (Felberg et al) 2002;51:517

Book reviews
Atlas of Adult Encephalography, 2nd Edition, by Blume et al (Kaplan) 2002;51:800
The Biology of the Autistic Syndromes, by Gillberg and Coleman (Tuchman) 2002;51:277
Color Atlas of Nerve Biopsy Pathology, by Oh (Johnson) 2002;51:800
Computing the Brain. A Guide to Neuroinformatics, edited by Arbib and Grethe (Kaufmann) 2002;51:665
Epilepsy and Sleep. Physiological and Clinial Relationships, by Dinner and Lüders (Meador) 2002;51:142
The Executive Brain: Frontal Lobes and the Civilized Mind, by Goldberg (Eslinger) 2002;51:666
Functional Imaging in the Epilepsies, Advances in Neurology, Volume 83, edited by Henry et al (Doherty and Cole) 2002;51:276
Handbook of Ataxia Disorders, edited by Klockgether (Chan) 2002;51:536
HIV Neurology, edited by Brew (McArthur) 2002;51:665
Image, Language, Brain, edited by Marantz et al (Grafton) 2002;51:142
Ischemic Cerebrovascular Disease, Contemporary Neurology Series, by Adams Jr. et al (Morgenstern) 2002;51:411
Journey from Cognition to Brain to Gene: Perspectives from Williams Syndrome, edited by Bellugi and St. George (Denckla) 2002;51:801
Molecular Pathology of the Prions, edited by Baker (Johnson) 2002;51:410
The Neurobiology of Taste and Smell, edited by Finger et al (Simpson and Ronnett) 2002;51:275
Neurovirology, Viruses and the Brain Volume 56 of Advances in Virus Research, edited by Buchmeier and Campbell (Conant) 2002;51:276
Parkinson's Disease, edited by Calne and Calne (Weiner) 2002;51:410
Pathogenesis of Neurodegenerative Disorders, edited by Mattson (Ratan) 2002;51:664

Pathology of Skeletal Muscle, Second Edition, by Carpenter and Karpati (Kuncl) 2002;51:536
Spehlmann's Evoked Potential Primer, Third Edition, revised and updated by Misulis and Fakhoury (Minahan) 2002;51:410
Stroke Syndromes, Second Edition (Silverman) 2002;51:535
Stroke Therapy, Second Edition, edited by Fisher (Llinas) 2002;51:664
Thrombolytic Therapy for Stroke, edited by Lyden (Hankey) 2002;51:275
Uncommon Causes of Stroke, edited by Bogousslavsky and Caplan (Silverman) 2002;51:535

Brachial plexus injury
loss of interhemispheric inhibition on the ipsilateral primary sensorimotor cortex in patients with brachial plexus injury: fMRI study (Hsieh et al) 2002;51:381

Brain
is homocysteine a causal and treatable risk factor for vascular diseases of the brain (cognitive impairment and stroke)? (Hankey) 2002;51:279 (Editorial)

Brain development
genome-wide gene expression profiles in four regions of the developing mouse brain (DelGaizo et al) 2002;51:414 (Correction)

Brain tumors
brain white matter anatomy of tumor patients evaluated with diffusion tensor imaging (Mori et al) 2002;51:377

Calmodulin
KCNQ2, a voltage-gated potassium channel implicated in benign familial neonatal convulsions, is bound to calmodulin (Shivakumar and Cooper) 2002;51:414 (Correction)

Carcinoma, lung
paraneoplastic chorea associated with CRMP-5 neuronal antibody and lung carcinoma (Vernino et al) 2002;51:625

Cardioneuromyopathy, familial
familial cardioneuromyopathy with hyaline masses and nemaline rods: a novel phenotype (Selcen et al) 2002;51:224

Caspase-1
role of caspase-1 in experimental pneumococcal meningitis: evidence from pharmacologic caspase inhibition and caspase-1-deficient mice (Koedel et al) 2002;51:319

Caucasians
trinucleotide repeat expansions in the *junctophilin-3* gene are not found in Caucasian patients with a Huntington's disease-like phenotype (Bauer et al) 2002;51:662 (Letter)

Cell death
cell death in experimental intracerebral hemorrhage: the "black hole" model of hemorrhagic damage (Felberg et al) 2002;51:517
flupirtine blocks apoptosis in Batten patient lymphoblasts and in human postmitotic CLN3- and CLN2-deficient neurons (Dhar et al) 2002;51:448

Central core disease
a recessive form of central core disease, transiently as multi-minicore disease, is associated with a homozygous mutation in the ryanodine receptor type 1 gene (Ferreiro et al) 2002;51:750

Central nervous system
apolipoprotein E affects the central nervous system response to injury and the development of cerebral edema (Lynch et al) 2002;51:113

Central nervous system lymphoma
German Cancer Society Neuro-Oncology Working Group NOA-03 multicenter trial of single-agent high-dose methotrexate for primary central nervous system lymphoma (Herrlinger et al) 2002;51:247

Cerebellar hemangioblastoma, childhood
childhood cerebellar hemangioblastoma does not predict germline or somatic mutations in the von Hippel-Lindau tumor suppressor gene (Fisher et al) 2002;51:257

Cerebral amyloid angiopathy
thrombolysis induces cerebral hemorrhage in a mouse model of cerebral amyloid angiopathy (Winkler et al) 2002;51:790

Cerebral blood flow measurement
prognostic accuracy of cerebral blood flow measurement by perfusion computed tomography, at the time of emergency room admission, in acute stroke patients (Wintermark et al) 2002;51:417

Cerebral cortex
adaptive functional changes in the cerebral cortex of patients with nondisabling multiple sclerosis correlate with the extent of brain structural damage (Rocca et al) 2002;51:330

Cerebral edema
apolipoprotein E affects the central nervous system response to injury and the development of cerebral edema (Lynch et al) 2002;51:113

Cerebrospinal fluid
low cerebrospinal fluid hypocretin (orexin) and altered energy homeostasis in human narcolepsy (Nishino et al) 2002;51:660 (Reply)
low cerebrospinal fluid hypocretin (orexin) and altered energy homeostasis in human narcolepsy (Schuld et al) 2002;51:660 (Letter)
platelet-activating factor acetylhydrolase activity in cerebrospinal fluid of children with acute systemic or neurological illness (Chang et al) 2002;51:760

Charcot-Marie-Tooth disease
Charcot-Marie-Tooth disease and related neuropathies: mutation distribution and genotype-phenotype correlation (Boerkoel et al) 2002;51:190

Childhood cerebellar hemangioblastoma
childhood cerebellar hemangioblastoma does not predict germline or somatic mutations in the von Hippel-Lindau tumor suppressor gene (Fisher et al) 2002;51:257

Children
auditory comprehension of language in young children: neural networks identified with fMRI (Ahmad et al) 2002;51:414 (Correction)
platelet-activating factor acetylhydrolase activity in cerebrospinal fluid of children with acute systemic or neurological illness (Chang et al) 2002;51:760

Chinese
the prevalence of narcolepsy among Chinese in Hong Kong (Wing et al) 2002;51:578

Choline acetyltransferase
upregulation of choline acetyltransferase activity in hippocampus and frontal cortex of elderly subjects with mild cognitive impairment (DeKosky et al) 2002;51:145

Cholinergic hypothesis
challenging assumptions about Alzheimer's disease: mild cognitive impairment and the cholinergic hypothesis (Morris) 2002;51:143 (Editorial)

Chromosome 1
localization of autosomal recessive early-onset parkinsonism to chromosome 1p36 *(PARK7)* in an independent dataset (Bonifati et al) 2002;51:253
Chromosome 4
partial epilepsy with pericentral spikes: a new familial epilepsy syndrome with evidence for linkage to chromosome 4p15 (Kinton et al) 2002;51:740
Chromosome 9
novel locus for autosomal dominant pure hereditary spastic paraplegia (SPG19) maps to chromosome 9q33–q34 (Valente et al) 2002;51:681
Chromosome 11
mapping of autosomal recessive chronic distal spinal muscular atrophy to chromosome 11q13 (Viollet et al) 2002;51:585
Chromosome 12
a new locus for Parkinson's disease *(PARK8)* maps to chromosome 12p11.2–q13.1 (Funayama et al) 2002;51:296
Chromosome X
novel mental retardation–epilepsy syndrome linked to Xp21.1–p11.4 (Hedera et al) 2002;51:45
Clinical trials
reporting clinical trials: full access to all the data (Rosenberg et al) 2002;51:2 (Notice)
CLN2 gene
flupirtine blocks apoptosis in Batten patient lymphoblasts and in human postmitotic CLN3- and CLN2-deficient neurons (Dhar et al) 2002;51:448
CLN3 gene
flupirtine blocks apoptosis in Batten patient lymphoblasts and in human postmitotic CLN3- and CLN2-deficient neurons (Dhar et al) 2002;51:448
Cognitive function
Alzheimer's neurofibrillary pathology and the spectrum of cognitive function: findings from the Nun Study (Riley et al) 2002;51:567
Cognitive impairment
association between high-density lipoprotein and cognitive impairment in the oldest old (van Exel et al) 2002;51:716
is homocysteine a causal and treatable risk factor for vascular diseases of the brain (cognitive impairment and stroke)? (Hankey) 2002;51:279 (Editorial)
Cognitive impairment, mild
challenging assumptions about Alzheimer's disease: mild cognitive impairment and the cholinergic hypothesis (Morris) 2002;51:143 (Editorial)
parahippocampal tau pathology in helathy aging, mild cognitive impairment, and early Alzheimer's disease (Mitchell et al) 2002;51:182
upregulation of choline acetyltransferase activity in hippocampus and frontal cortex of elderly subjects with mild cognitive impairment (DeKosky et al) 2002;51:145
Computed tomography, contrast
contrast computed tomography scan in acute stroke: "you can't always get what you want but... you can get what you need" (Koroshetz and Lev) 2002;51:415
Computed tomography, perfusion
prognostic accuracy of cerebral blood flow measurement by perfusion computed tomography, at the time of emergency room admission, in acute stroke patients (Wintermark et al) 2002;51:417
Congenital myasthenia
novel delta subunit mutation in slow-channel syndrome causes severe weakness by novel mechanisms (Gomez et al) 2002;51:102
Contrast computed tomography
contrast computed tomography scan in acute stroke: "you can't always get what you want but... you can get what you need" (Koroshetz and Lev) 2002;51:415
Controlled High-Risk Subjects Avonex Multiple Sclerosis Prevention Study (CHAMPS) trial
interferon β-1a for early multiple sclerosis: CHAMPS trial subgroup analyses (Beck et al) 2002;51:481
Convulsions, familial neonatal
KCNQ2, a voltage-gated potassium channel implicated in benign familial neonatal convulsions, is bound to calmodulin (Shivakumar and Cooper) 2002;51:414 (Correction)
Corpus callosum, absent
X-linked lissencephaly with absent corpus callosum and ambiguous genitalia (XLAG): clinical, magnetic resonance imaging, and neuropathological findings (Bonneau et al) 2002;51:340
Corrections
association studies of multiple candidate genes for Parkinson's disease using single nucleotide polymorphisms (Momose et al) 2002;51:534
auditory comprehension of language in young children: neural networks identified with fMRI (Ahmad et al) 2002;51:414
genome-wide gene expression profiles in four regions of the developing mouse brain (DelGaizo et al) 2002;51:414
KCNQ2, a voltage-gated potassium channel implicated in benign familial neonatal convulsions, is bound to calmodulin (Shivakumar and Cooper) 2002;51:414
Cortical spreading depression
cortical spreading depression and gene regulation: relevance to migraine (Choudhuri et al) 2002;51:499
Cranial nerve palsy
cranial nerve palsies: herpes simplex virus type 1 and varicella-zoster virus latency (Theil et al) 2002;51:273 (Letter)
Creutzfeldt-Jakob disease
prion protein deposits match magnetic resonance imaging signal abnormalities in Creutzfeldt-Jakob disease (Haïk et al) 2002;51:797 (Letter)
CRMP-5
paraneoplastic chorea associated with CRMP-5 neuronal antibody and lung carcinoma (Vernino et al) 2002;51:625
***cytochrome b* gene**
septo-optic dysplasia associated with a new mitochondrial *cytochrome b* mutation (Schuelke et al) 2002;51:388
Cytotoxic T cells
destruction of neurons by cytotoxic T cells: a new pathogenic mechanism in Rasmussen's encephalitis (Bien et al) 2002;51:311

Deletions
a novel D104G mutation in the adenine nucleotide translocator 1 gene in autosomal dominant progressive external ophthalmoplegia patients with mitochondrial DNA with multiple deletions (Komaki et al) 2002;51:645

Dementia
combined effect of age and severity on the risk of dementia in Parkinson's disease (Levy et al) 2002;51:722
Dementia, Alzheimer's
striatal monoaminergic terminals in Lewy body and Alzheimer's dementias (Suzuki et al) 2002;51:767
Dementia, frontotemporal
late-onset frontotemporal dementia with a novel exon 1 (Arg5His) tau gene mutation (Hayashi et al) 2002;51:525
Dementia with Lewy bodies
selective hippocampal neuron loss in dementia with Lewy bodies (Harding et al) 2002;51:125
striatal monoaminergic terminals in Lewy body and Alzheimer's dementias (Suzuki et al) 2002;51:767
Demyelinating neuropathy
periaxin mutations cause a broad spectrum of demyelinating neuropathies (Takashima et al) 2002;51:709
Deprenyl (selegiline)
impact of sustained deprenyl (selegiline) in levodopa-treated Parkinson's disease: a randomized placebo-controlled extension of the deprenyl and tocopherol antioxidative therapy of parkinsonism trial (Shoulson et al) 2002;51:604
Depression
subjective memory complaints: objective neural markers in patients with Alzheimer's disease and major depressive disorder (Grön et al) 2002;51:491
Devic's disease
studies of mitochondrial DNA in Devic's disease revealed no pathogenic mutations, but polymorphisms also found in association with multiple sclerosis (Kalman and Mandler) 2002;51:661 (Letter)
Diffusion tensor imaging
brain white matter anatomy of tumor patients evaluated with diffusion tensor imaging (Mori et al) 2002;51:377
DNA, mitochondrial
mitochondrial DNA C4171A/ND1 is a novel primary causative mutation of Leber's hereditary optic neuropathy with a good prognosis (Kim et al) 2002;51:630
mitochondrial DNA nucleotide changes C14482G and C14482A in the ND6 gene are pathogenic for Leber's hereditary optic neuropathy (Valentino et al) 2002;51:774
a novel D104G mutation in the adenine nucleotide translocator 1 gene in autosomal dominant progressive external ophthalmoplegia patients with mitochondrial DNA with multiple deletions (Komaki et al) 2002;51:645
novel heteroplasmic mtDNA mutation in a family with heterogeneous clinical presentations (Corona et al) 2002;51:118
septo-optic dysplasia associated with a new mitochondrial *cytochrome b* mutation (Schuelke et al) 2002;51:388
studies of mitochondrial DNA in Devic's disease revealed no pathogenic mutations, but polymorphisms also found in association with multiple sclerosis (Kalman and Mandler) 2002;51:661 (Letter)
Dopamine
brain biopterin and tyrosine hydroxylase in asymptomatic dopa-responsive dystonia (Furukawa et al) 2002;51:637
dopaminergic modulation of cortical function in patients with Parkinson's disease (Mattay et al) 2002;51:156
Dyskinesia
levodopa-induced dyskinesias in normal squirrel monkeys (Togasaki et al) 2002;51:531 (Reply)
levodopa-induced dyskinesias in normal squirrel monkeys (Weiner) 2002;51:531 (Letter)
Dysplasia, septo-optic
septo-optic dysplasia associated with a new mitochondrial *cytochrome b* mutation (Schuelke et al) 2002;51:388
Dystonia
brain biopterin and tyrosine hydroxylase in asymptomatic dopa-responsive dystonia (Furukawa et al) 2002;51:637
Dystonia, focal
impaired brain GABA in focal dystonia (Levy and Hallett) 2002;51:93
sensory training for patients with focal hand dystonia (Zeuner et al) 2002;51:593

Edema, cerebral
apolipoprotein E affects the central nervous system response to injury and the development of cerebral edema (Lynch et al) 2002;51:113
Editorials
altered reproductive endocrine regulation in men with epilepsy: implications for reproductive function and seizures (Herzog) 2002;51:539
blockade of blocking antibodies in Guillain-Barré syndromes: "unblocking" the mystery of action of intravenous immunoglobulin (Dalakas) 2002;51:667
challenging assumptions about Alzheimer's disease: mild cognitive impairment and the cholinergic hypothesis (Morris) 2002;51:143
contrast computed tomography scan in acute stroke: "you can't always get what you want but. . . you can get what you need" (Koroshetz and Lev) 2002;51:415
does the right make it right? questions about recovery of language after stroke (Hillis) 2002;51:537
hereditary spastic paraplegia: the pace quickens (Fink) 2002;51:669
is homocysteine a causal and treatable risk factor for vascular diseases of the brain (cognitive impairment and stroke)? (Hankey) 2002;51:279
is the therapeutic application of neurotrophic factors dead? (Apfel) 2002;51:8
memory decline: the boundary between aging and age-related disease (Albert) 2002;51:282
Parkinson's genetics: an embarrassment of riches (Gwinn-Hardy and Farrer) 2002;51:7
thrombolysis in stroke beyond three hours: targeting patients with diffusion and perfusion MRI (Warach) 2002;51:11
eIF2B
mutations in each of the five subunits of translation initiation factor eIF2B can cause leukoencephalopathy with vanishing white matter (van der Knaap et al) 2002;51:264
Elderly
association between high-density lipoprotein and cognitive impairment in the oldest old (van Exel et al) 2002;51:716
upregulation of choline acetyltransferase activity in hippocampus and frontal cortex of elderly subjects with mild cognitive impairment (DeKosky et al) 2002;51:145
Encephalitis, herpes simplex
familial herpes simplex encephalitis (Jackson et al) 2002;51:406 (Letter)
Encephalitis, human herpesvirus 6
human herpesvirus 6 encephalitis associated with hypersensitivity syndrome (Fujino et al) 2002;51:771

Encephalitis, Nipah
relapsed and late-onset Nipah encephalitis (Tan et al) 2002;51:703
Encephalitis, Rasmussen's
destruction of neurons by cytotoxic T cells: a new pathogenic mechanism in Rasmussen's encephalitis (Bien et al) 2002;51:311
Encephalomyelitis, autoimmune
inhibition of autoimmune encephalomyelitis by a tetracycline (Popovic et al) 2002;51:215
peroxisome proliferator-activated receptor-γ agonists prevent experimental autoimmune encephalomyelitis (Feinstein et al) 2002;51:694
Endocrine system
altered reproductive endocrine regulation in men with epilepsy: implications for reproductive function and seizures (Herzog) 2002;51:539 (Editorial)
Energy homeostasis
low cerebrospinal fluid hypocretin (orexin) and altered energy homeostasis in human narcolepsy (Nishino et al) 2002;51:660 (Reply)
low cerebrospinal fluid hypocretin (orexin) and altered energy homeostasis in human narcolepsy (Schuld et al) 2002;51:660 (Letter)
Environmental enrichment
environmental enrichment slows disease progression in R6/2 Huntington's disease mice (Hockly et al) 2002;51:235
Epilepsy
altered reproductive endocrine regulation in men with epilepsy: implications for reproductive function and seizures (Herzog) 2002;51:539 (Editorial)
monozygous twins discordant for epilepsy (Brodtkorb) 2002;51:137 (Letter)
novel mental retardation–epilepsy syndrome linked to Xp21.1–p11.4 (Hedera et al) 2002;51:45
Epilepsy, familial
partial epilepsy with pericentral spikes: a new familial epilepsy syndrome with evidence for linkage to chromosome 4p15 (Kinton et al) 2002;51:740
Epilepsy, left temporal lobe
verbal memory in left temporal lobe epilepsy: evidence for task-related localization (Weintrob et al) 2002;51:442
verbal memory in left temporal lobe epilepsy: evidence for task-related localization (Weintrob et al) 2002;51:799 (Correction)
Epilepsy, mesiotemporal lobe
insular cortex involvement in mesiotemporal lobe epilepsy: a positron emission tomography study (Bouilleret et al) 2002;51:202
Epilepsy, partial
partial epilepsy with pericentral spikes: a new familial epilepsy syndrome with evidence for linkage to chromosome 4p15 (Kinton et al) 2002;51:740
Epilepsy, temporal lobe
a functional polymorphism in the prodynorphin gene promotor is associated with temporal lobe epilepsy (Stögmann et al) 2002;51:260
interictal and postictal alterations of pulsatile secretions of luteinizing hormone in temporal lobe epilepsy in men (Quigg et al) 2002;51:559
seizure-associated hippocampal volume loss: a longitudinal magnetic resonance study of temporal lobe epilepsy (Briellmann et al) 2002;51:641
verbal memory in left temporal lobe epilepsy: evidence for task-related localization (Weintrob et al) 2002;51:442
verbal memory in left temporal lobe epilepsy: evidence for task-related localization (Weintrob et al) 2002;51:799 (Correction)
Essential tremor
effective treatment for essential tremor (Louis et al) 2002;51:407 (Reply)
effective treatment for essential tremor (Young) 2002;51:407 (Letter)
European families
PARK6-linked parkinsonism occurs in several European families (Valente et al) 2002;51:14
Excitotoxicity, neonatal
melatoninergic neuroprotection of the murine periventricular white matter against neonatal excitotoxic challenge (Husson et al) 2002;51:82
External ophthalmoplegia, progressive
near-infrared spectroscopy in chronic progressive external ophthalmoplegia: adipose tissue thickness confounds decreased muscle oxygen consumption (van Beekvelt et al) 2002;51:272 (Letter)
a novel D104G mutation in the adenine nucleotide translocator 1 gene in autosomal dominant progressive external ophthalmoplegia patients with mitochondrial DNA with multiple deletions (Komaki et al) 2002;51:645

Familial cardioneuromyopathy
familial cardioneuromyopathy with hyaline masses and nemaline rods: a novel phenotype (Selcen et al) 2002;51:224
Familial epilepsy
partial epilepsy with pericentral spikes: a new familial epilepsy syndrome with evidence for linkage to chromosome 4p15 (Kinton et al) 2002;51:740
Familial herpes simplex encephalitis
familial herpes simplex encephalitis (Jackson et al) 2002;51:406 (Letter)
Familial neonatal convulsions
KCNQ2, a voltage-gated potassium channel implicated in benign familial neonatal convulsions, is bound to calmodulin (Shivakumar and Cooper) 2002;51:414 (Correction)
Flupirtine
flupirtine blocks apoptosis in Batten patient lymphoblasts and in human postmitotic CLN3- and CLN2-deficient neurons (Dhar et al) 2002;51:448
Forearm exercise, aerobic
venous oxygen levels during aerobic forearm exercise: an index of impaired oxidative metabolism in mitochondrial myopathy (Taivassalo et al) 2002;51:38
French
spinocerebellar ataxia type 10 in the French population (Fujigasaki et al) 2002;51:408 (Letter)
spinocerebellar ataxia type 10 in the French population (Rasmussen and Alonso) 2002;51:408 (Reply)
Frontal cortex
upregulation of choline acetyltransferase activity in hippocampus and frontal cortex of elderly subjects with mild cognitive impairment (DeKosky et al) 2002;51:145
Frontotemporal dementia, late-onset
late-onset frontotemporal dementia with a novel exon 1 (Arg5His) tau gene mutation (Hayashi et al) 2002;51:525

Functional magnetic resonance imaging
auditory comprehension of language in young children: neural networks identified with fMRI (Ahmad et al) 2002;51:414 (Correction)
development of a functional magnetic resonance imaging protocol for intraoperative localization of critical temporoparietal language areas (Rutten et al) 2002;51:350
loss of interhemispheric inhibition on the ipsilateral primary sensorimotor cortex in patients with brachial plexus injury: fMRI study (Hsieh et al) 2002;51:381

Gadolinium
activity of the hypothalamic-pituitary-adrenal axis in multiple sclerosis: correlations with gadolinium-enhancing lesions and ventricular volume (Schumann et al) 2002;51:763

Gamma-aminobutyric acid (GABA)
impaired brain GABA in focal dystonia (Levy and Hallett) 2002;51:93

Gene expression
cortical spreading depression and gene regulation: relevance to migraine (Choudhuri et al) 2002;51:499

Gene expression profiling
genome-wide gene expression profiles in four regions of the developing mouse brain (DelGaizo et al) 2002;51:414 (Correction)
mouse glioma gene expression profiling identifies novel human glioma-associated genes (Gutmann et al) 2002;51:393

Gene polymorphisms; *see also* Mutations
association of interleukin-1 polymorphisms with Alzheimer's disease in Australia (Hedley et al) 2002;51:795 (Letter)
a functional polymorphism in the prodynorphin gene promotor is associated with temporal lobe epilepsy (Stögmann et al) 2002;51:260
studies of mitochondrial DNA in Devic's disease revealed no pathogenic mutations, but polymorphisms also found in association with multiple sclerosis (Kalman and Mandler) 2002;51:661 (Letter)

Gene therapy
in vivo gene therapy for pyridoxine-induced neuropathy by herpes simplex virus-mediated gene transfer of neurotrophin-3 (Chattopadhyay et al) 2002;51:19

Gene transfer
in vivo gene therapy for pyridoxine-induced neuropathy by herpes simplex virus-mediated gene transfer of neurotrophin-3 (Chattopadhyay et al) 2002;51:19

Genetics
Parkinson's genetics: an embarrassment of riches (Gwinn-Hardy and Farrer) 2002;51:7 (Editorial)

Genitalia, ambiguous
X-linked lissencephaly with absent corpus callosum and ambiguous genitalia (XLAG): clinical, magnetic resonance imaging, and neuropathological findings (Bonneau et al) 2002;51:340

Genotype-phenotype correlation
Charcot-Marie-Tooth disease and related neuropathies: mutation distribution and genotype-phenotype correlation (Boerkoel et al) 2002;51:190

Glioma
mouse glioma gene expression profiling identifies novel human glioma-associated genes (Gutmann et al) 2002;51:393

Glycolipids, myelin-derived
myelin-derived glycolipids and animal models of Guillain-Barré syndrome (Toyka et al) 2002;51:532 (Letter)
myelin-derived glycolipids and animal models of Guillain-Barré syndrome (Yuki et al) 2002;51:532 (Reply)

Gonadal dysgenesis
hereditary motor and sensory neuropathy with minifascicle formation in a patient with 46XY pure gonadal dysgenesis: a new clinical entity (Sugie et al) 2002;51:385

Gray matter
sporadic Pick's disease: a tauopathy characterized by a spectrum of pathological τ isoforms in gray and white matter (Zhukareva et al) 2002;51:730

Guillain-Barré syndrome
blockade of blocking antibodies in Guillain-Barré syndromes: "unblocking" the mystery of action of intravenous immunoglobulin (Dalakas) 2002;51:667 (Editorial)
intravenous immunoglobulins neutralize blocking antibodies in Guillain-Barré syndrome (Buchwald et al) 2002;51:673
myelin-derived glycolipids and animal models of Guillain-Barré syndrome (Toyka et al) 2002;51:532 (Letter)
myelin-derived glycolipids and animal models of Guillain-Barré syndrome (Yuki et al) 2002;51:532 (Reply)

Hand dystonia, focal
sensory training for patients with focal hand dystonia (Zeuner et al) 2002;51:593

Hand muscle strength
increase in hand muscle strength of stroke patients after somatosensory stimulation (Conforto et al) 2002;51:122

Headache
high headache prevalence among women with hemochromatosis: the Nord-Trøndelag Health Study (Hagen et al) 2002;51:786

Headache, migraine
cortical spreading depression and gene regulation: relevance to migraine (Choudhuri et al) 2002;51:499
nuclear factor-κB as a molecular target for migraine therapy (Reuter et al) 2002;51:507
parallel concept of migraine pathogenesis (Goadsby) 2002;51:140 (Reply)
parallel concept of migraine pathogenesis (Spierings) 2002;51:139 (Letter)

Hemangioblastoma, cerebellar
childhood cerebellar hemangioblastoma does not predict germline or somatic mutations in the von Hippel-Lindau tumor suppressor gene (Fisher et al) 2002;51:257

Hemochromatosis
high headache prevalence among women with hemochromatosis: the Nord-Trøndelag Health Study (Hagen et al) 2002;51:786

Hemorrhage, intracerebral
cell death in experimental intracerebral hemorrhage: the "black hole" model of hemorrhagic damage (Felberg et al) 2002;51:517
thrombolysis induces cerebral hemorrhage in a mouse model of cerebral amyloid angiopathy (Winkler et al) 2002;51:790

Hereditary motor and sensory neuropathy
hereditary motor and sensory neuropathy with minifascicle formation in a patient with 46XY pure gonadal

dysgenesis: a new clinical entity (Sugie et al) 2002;51: 385

Hereditary optic neuropathy, Leber's
mitochondrial DNA C4171A/ND1 is a novel primary causative mutation of Leber's hereditary optic neuropathy with a good prognosis (Kim et al) 2002;51:630
mitochondrial DNA nucleotide changes C14482G and C14482A in the ND6 gene are pathogenic for Leber's hereditary optic neuropathy (Valentino et al) 2002;51: 774

Hereditary spastic paraplegia
further evidence that *SPG3A* gene mutations cause autosomal dominant hereditary spastic paraplegia (Muglia et al) 2002;51:794 (Letter)
hereditary spastic paraplegia: the pace quickens (Fink) 2002;51:669 (Editorial)
novel locus for autosomal dominant pure hereditary spastic paraplegia (SPG19) maps to chromosome 9q33–q34 (Valente et al) 2002;51:681

Herpes simplex encephalitis, familial
familial herpes simplex encephalitis (Jackson et al) 2002; 51:406 (Letter)

Herpes simplex virus
cranial nerve palsies: herpes simplex virus type 1 and varicella-zoster virus latency (Theil et al) 2002;51:273 (Letter)
in vivo gene therapy for pyridoxine-induced neuropathy by herpes simplex virus-mediated gene transfer of neurotrophin-3 (Chattopadhyay et al) 2002;51:19

High-density lipoprotein
association between high-density lipoprotein and cognitive impairment in the oldest old (van Exel et al) 2002;51: 716

Hippocampus
accelerated hippocampal atrophy in Alzheimer's disease with apolipoprotein E ε4 allele (Mori et al) 2002;51: 209
imaging hippocampal function across the human life span: is memory decline normal or not? (Small et al) 2002; 51:290
seizure-associated hippocampal volume loss: a longitudinal magnetic resonance study of temporal lobe epilepsy (Briellmann et al) 2002;51:641
selective hippocampal neuron loss in dementia with Lewy bodies (Harding et al) 2002;51:125
upregulation of choline acetyltransferase activity in hippocampus and frontal cortex of elderly subjects with mild cognitive impairment (DeKosky et al) 2002;51: 145

Homocysteine
homocysteine, silent brain infarcts, and white matter lesions: the Rotterdam Scan Study (Vermeer et al) 2002; 51:285
is homocysteine a causal and treatable risk factor for vascular diseases of the brain (cognitive impairment and stroke)? (Hankey) 2002;51:279 (Editorial)

Homotopic cortex
a physiological change in the homotopic cortex following left posterior temporal lobe infarction (Leff et al) 2002; 51:553

Hong Kong
the prevalence of narcolepsy among Chinese in Hong Kong (Wing et al) 2002;51:578

Human herpesvirus 6 encephalitis
human herpesvirus 6 encephalitis associated with hypersensitivity syndrome (Fujino et al) 2002;51:771

Huntington's disease
environmental enrichment slows disease progression in R6/2 Huntington's disease mice (Hockly et al) 2002; 51:235
trinucleotide repeat expansions in the *junctophilin-3* gene are not found in Caucasian patients with a Huntington's disease-like phenotype (Bauer et al) 2002;51:662 (Letter)

Hyaline masses
familial cardioneuromyopathy with hyaline masses and nemaline rods: a novel phenotype (Selcen et al) 2002; 51:224

3-Hydroxy-2-methylbutyryl-CoA dehydrogenase deficiency
clinical variability in 3-hydroxy-2-methylbutyryl-CoA dehydrogenase deficiency (Ensenauer et al) 2002;51:656

Hypersensitivity syndrome
human herpesvirus 6 encephalitis associated with hypersensitivity syndrome (Fujino et al) 2002;51:771

Hypocretin (orexin)
low cerebrospinal fluid hypocretin (orexin) and altered energy homeostasis in human narcolepsy (Nishino et al) 2002;51:660 (Reply)
low cerebrospinal fluid hypocretin (orexin) and altered energy homeostasis in human narcolepsy (Schuld et al) 2002;51:660 (Letter)

Hypothalamic-pituitary-adrenal axis
activity of the hypothalamic-pituitary-adrenal axis in multiple sclerosis: correlations with gadolinium-enhancing lesions and ventricular volume (Schumann et al) 2002; 51:763

Imaging; *see also specific modalities*
imaging hippocampal function across the human life span: is memory decline normal or not? (Small et al) 2002; 51:290

Immunoglobulin, intravenous
blockade of blocking antibodies in Guillain-Barré syndromes: "unblocking" the mystery of action of intravenous immunoglobulin (Dalakas) 2002;51:667 (Editorial)
intravenous immunoglobulins neutralize blocking antibodies in Guillain-Barré syndrome (Buchwald et al) 2002; 51:673

IN-1 antibody
functional recovery and neuroanatomical plasticity following middle cerebral artery occlusion and IN-1 antibody treatment in the adult rat (Papadopoulos et al) 2002; 51:433

Inclusion body myositis
comparison of weakness progression in inclusion body myositis during treatment with methotrexate or placebo (Badrising et al) 2002;51:369

Infarction
homocysteine, silent brain infarcts, and white matter lesions: the Rotterdam Scan Study (Vermeer et al) 2002; 51:285

Infarction, left posterior temporal lobe
a physiological change in the homotopic cortex following left posterior temporal lobe infarction (Leff et al) 2002; 51:553

Injury
apolipoprotein E affects the central nervous system response to injury and the development of cerebral edema (Lynch et al) 2002;51:113

Injury, brachial plexus
loss of interhemispheric inhibition on the ipsilateral primary sensorimotor cortex in patients with brachial plexus injury: fMRI study (Hsieh et al) 2002;51:381
Insular cortex
insular cortex involvement in mesiotemporal lobe epilepsy: a positron emission tomography study (Bouilleret et al) 2002;51:202
Interferon-β
interferon-β therapy for multiple sclerosis induced reciprocal changes in interleukin-12 and interleukin-10 production (Byrnes et al) 2002;51:165
Interferon-β1a
interferon β-1a for early multiple sclerosis: CHAMPS trial subgroup analyses (Beck et al) 2002;51:481
Interleukin-1
association of interleukin-1 polymorphisms with Alzheimer's disease in Australia (Hedley et al) 2002;51:795 (Letter)
Interleukin-10
interferon-β therapy for multiple sclerosis induced reciprocal changes in interleukin-12 and interleukin-10 production (Byrnes et al) 2002;51:165
Interleukin-12
interferon-β therapy for multiple sclerosis induced reciprocal changes in interleukin-12 and interleukin-10 production (Byrnes et al) 2002;51:165
Intracerebral hemorrhage
cell death in experimental intracerebral hemorrhage: the "black hole" model of hemorrhagic damage (Felberg et al) 2002;51:517
thrombolysis induces cerebral hemorrhage in a mouse model of cerebral amyloid angiopathy (Winkler et al) 2002;51:790
Intranuclear inclusions, neuronal
protein surveillance machinery in brains with spinocerebellar ataxia type 3: redistribution and differential recruitment of 26S proteasome subunits and chaperones to neuronal intranuclear inclusions (Schmidt et al) 2002;51:302
Intravenous immunoglobulin
blockade of blocking antibodies in Guillain-Barré syndromes: "unblocking" the mystery of action of intravenous immunoglobulin (Dalakas) 2002;51:667 (Editorial)
intravenous immunoglobulins neutralize blocking antibodies in Guillain-Barré syndrome (Buchwald et al) 2002;51:673

***junctophilin-3* gene**
trinucleotide repeat expansions in the *junctophilin-3* gene are not found in Caucasian patients with a Huntington's disease-like phenotype (Bauer et al) 2002;51:662 (Letter)

KCNQ2
KCNQ2, a voltage-gated potassium channel implicated in benign familial neonatal convulsions, is bound to calmodulin (Shivakumar and Cooper) 2002;51:414 (Correction)
Kurland, Leonard T.
Leonard T. Kurland: 1921–2001 (Whisnant and Mulder) 2002;51:663 (Obituary)

Language areas, temporoparietal
development of a functional magnetic resonance imaging protocol for intraoperative localization of critical temporoparietal language areas (Rutten et al) 2002;51:350
Language comprehension
auditory comprehension of language in young children: neural networks identified with fMRI (Ahmad et al) 2002;51:414 (Correction)
Language recovery
does the right make it right? questions about recovery of language after stroke (Hillis) 2002;51:537 (Editorial)
Leber's hereditary optic neuropathy
mitochondrial DNA C4171A/ND1 is a novel primary causative mutation of Leber's hereditary optic neuropathy with a good prognosis (Kim et al) 2002;51:630
mitochondrial DNA nucleotide changes C14482G and C14482A in the ND6 gene are pathogenic for Leber's hereditary optic neuropathy (Valentino et al) 2002;51:774
Left posterior temporal lobe infarction
a physiological change in the homotopic cortex following left posterior temporal lobe infarction (Leff et al) 2002;51:553
Left temporal lobe epilepsy
verbal memory in left temporal lobe epilepsy: evidence for task-related localization (Weintrob et al) 2002;51:442
Leigh syndrome
MRI in Leigh syndrome with SURF1 gene mutation (Rahman et al) 2002;51:139 (Reply)
MRI in Leigh syndrome with SURF1 gene mutation (Savoiardo et al) 2002;51:138 (Letter)
Lesions, gadolinium-enhancing
activity of the hypothalamic-pituitary-adrenal axis in multiple sclerosis: correlations with gadolinium-enhancing lesions and ventricular volume (Schumann et al) 2002;51:763
Lesions, white matter
homocysteine, silent brain infarcts, and white matter lesions: the Rotterdam Scan Study (Vermeer et al) 2002;51:285
Leukoencephalopathy
mutations in each of the five subunits of translation initiation factor eIF2B can cause leukoencephalopathy with vanishing white matter (van der Knaap et al) 2002;51:264
Levodopa
evolution of the response to levodopa during the first 4 years of therapy (Nutt et al) 2002;51:686
impact of sustained deprenyl (selegiline) in levodopa-treated Parkinson's disease: a randomized placebo-controlled extension of the deprenyl and tocopherol antioxidative therapy of parkinsonism trial (Shoulson et al) 2002;51:604
levodopa-induced dyskinesias in normal squirrel monkeys (Togasaki et al) 2002;51:531 (Reply)
levodopa-induced dyskinesias in normal squirrel monkeys (Weiner) 2002;51:531 (Letter)
Lewy bodies, dementia with
selective hippocampal neuron loss in dementia with Lewy bodies (Harding et al) 2002;51:125
striatal monoaminergic terminals in Lewy body and Alzheimer's dementias (Suzuki et al) 2002;51:767
Limb girdle muscular dystrophy 2B
a novel, blood-based diagnostic assay for limb girdle muscular dystrophy 2B and Miyoshi myopathy (Ho et al) 2002;51:129
Lipoprotein, high-density
association between high-density lipoprotein and cognitive impairment in the oldest old (van Exel et al) 2002;51:716

Lissencephaly, X-linked
X-linked lissencephaly with absent corpus callosum and ambiguous genitalia (XLAG): clinical, magnetic resonance imaging, and neuropathological findings (Bonneau et al) 2002;51:340

Lung carcinoma
paraneoplastic chorea associated with CRMP-5 neuronal antibody and lung carcinoma (Vernino et al) 2002;51:625

Luteinizing hormone
interictal and postictal alterations of pulsatile secretions of luteinizing hormone in temporal lobe epilepsy in men (Quigg et al) 2002;51:559

Lymphoma
German Cancer Society Neuro-Oncology Working Group NOA-03 multicenter trial of single-agent high-dose methotrexate for primary central nervous system lymphoma (Herrlinger et al) 2002;51:247

Magnetic resonance imaging
antibody-mediated suppression of Vβ5.2/5.3$^+$ T cells in multiple sclerosis: results from an MRI-monitored phase II clinical trial (Killestein et al) 2002;51:467
diffuse signal abnormalities in the spinal cord in multiple sclerosis: direct postmortem in situ magnetic resonance imaging correlated with in vitro high-resolution magnetic resonance imaging and histopathology (Bergers et al) 2002;51:652
diffusion- and perfusion-weighted MRI response to thrombolysis in stroke (Parsons et al) 2002;51:28
MRI in Leigh syndrome with SURF1 gene mutation (Rahman et al) 2002;51:139 (Reply)
MRI in Leigh syndrome with SURF1 gene mutation (Savoiardo et al) 2002;51:138 (Letter)
prion protein deposits match magnetic resonance imaging signal abnormalities in Creutzfeldt-Jakob disease (Haïk et al) 2002;51:797 (Letter)
seizure-associated hippocampal volume loss: a longitudinal magnetic resonance study of temporal lobe epilepsy (Briellmann et al) 2002;51:641
superior oblique myokymia: magnetic resonance imaging support for the neurovascular compression hypothesis (Yousry et al) 2002;51:361
thrombolysis in stroke beyond three hours: targeting patients with diffusion and perfusion MRI (Warach) 2002;51:11
X-linked lissencephaly with absent corpus callosum and ambiguous genitalia (XLAG): clinical, magnetic resonance imaging, and neuropathological findings (Bonneau et al) 2002;51:340

Magnetic resonance imaging, functional
auditory comprehension of language in young children: neural networks identified with fMRI (Ahmad et al) 2002;51:414 (Correction)
development of a functional magnetic resonance imaging protocol for intraoperative localization of critical temporoparietal language areas (Rutten et al) 2002;51:350
loss of interhemispheric inhibition on the ipsilateral primary sensorimotor cortex in patients with brachial plexus injury: fMRI study (Hsieh et al) 2002;51:381

Median nerve
factors that influence peripheral nerve regeneration: an electrophysiological study of the monkey median nerve (Krarup et al) 2002;51:69

Melatonin
melatoninergic neuroprotection of the murine periventricular white matter against neonatal excitotoxic challenge (Husson et al) 2002;51:82

Memory, verbal
verbal memory in left temporal lobe epilepsy: evidence for task-related localization (Weintrob et al) 2002;51:442

Memory decline
imaging hippocampal function across the human life span: is memory decline normal or not? (Small et al) 2002;51:290
memory decline: the boundary between aging and age-related disease (Albert) 2002;51:282 (Editorial)
subjective memory complaints: objective neural markers in patients with Alzheimer's disease and major depressive disorder (Grön et al) 2002;51:491

Men
altered reproductive endocrine regulation in men with epilepsy: implications for reproductive function and seizures (Herzog) 2002;51:539 (Editorial)
interictal and postictal alterations of pulsatile secretions of luteinizing hormone in temporal lobe epilepsy in men (Quigg et al) 2002;51:559

Meningitis, pneumococcal
role of caspase-1 in experimental pneumococcal meningitis: evidence from pharmacologic caspase inhibition and caspase-1-deficient mice (Koedel et al) 2002;51:319

Mental retardation
novel mental retardation–epilepsy syndrome linked to Xp21.1–p11.4 (Hedera et al) 2002;51:45

Mesiotemporal lobe epilepsy
insular cortex involvement in mesiotemporal lobe epilepsy: a positron emission tomography study (Bouilleret et al) 2002;51:202

Message from the Editor
(Johnson) 2002;51:1

Methotrexate
comparison of weakness progression in inclusion body myositis during treatment with methotrexate or placebo (Badrising et al) 2002;51:369
German Cancer Society Neuro-Oncology Working Group NOA-03 multicenter trial of single-agent high-dose methotrexate for primary central nervous system lymphoma (Herrlinger et al) 2002;51:247

Middle cerebral artery occlusion
functional recovery and neuroanatomical plasticity following middle cerebral artery occlusion and IN-1 antibody treatment in the adult rat (Papadopoulos et al) 2002;51:433

Migraine
cortical spreading depression and gene regulation: relevance to migraine (Choudhuri et al) 2002;51:499
nuclear factor-κB as a molecular target for migraine therapy (Reuter et al) 2002;51:507
parallel concept of migraine pathogenesis (Goadsby) 2002;51:140 (Reply)
parallel concept of migraine pathogenesis (Spierings) 2002;51:139 (Letter)

Minifascicle formations
hereditary motor and sensory neuropathy with minifascicle formation in a patient with 46XY pure gonadal dysgenesis: a new clinical entity (Sugie et al) 2002;51:385

Mitochondrial DNA
mitochondrial DNA C4171A/ND1 is a novel primary causative mutation of Leber's hereditary optic neuropathy with a good prognosis (Kim et al) 2002;51:630

mitochondrial DNA nucleotide changes C14482G and C14482A in the ND6 gene are pathogenic for Leber's hereditary optic neuropathy (Valentino et al) 2002;51: 774
a novel D104G mutation in the adenine nucleotide translocator 1 gene in autosomal dominant progressive external ophthalmoplegia patients with mitochondrial DNA with multiple deletions (Komaki et al) 2002;51: 645
novel heteroplasmic mtDNA mutation in a family with heterogeneous clinical presentations (Corona et al) 2002;51:118
septo-optic dysplasia associated with a new mitochondrial *cytochrome b* mutation (Schuelke et al) 2002;51:388
studies of mitochondrial DNA in Devic's disease revealed no pathogenic mutations, but polymorphisms also found in association with multiple sclerosis (Kalman and Mandler) 2002;51:661 (Letter)

Mitochondrial myopathy
venous oxygen levels during aerobic forearm exercise: an index of impaired oxidative metabolism in mitochondrial myopathy (Taivassalo et al) 2002;51:38

Miyoshi myopathy
a novel, blood-based diagnostic assay for limb girdle muscular dystrophy 2B and Miyoshi myopathy (Ho et al) 2002;51:129

MK-799
phenobarbital and MK-799, but not phenytoin, improve the long-term outcome of status epilepticus (Prasad et al) 2002;51:175

Motor cortex
dopaminergic modulation of cortical function in patients with Parkinson's disease (Mattay et al) 2002;51:156
effects of ovarian hormones on human cortical excitability (Smith et al) 2002;51:599

Motor neuropathy, hereditary
hereditary motor and sensory neuropathy with minifascicle formation in a patient with 46XY pure gonadal dysgenesis: a new clinical entity (Sugie et al) 2002;51: 385

Multi-minicore disease
a recessive form of central core disease, transiently as multi-minicore disease, is associated with a homozygous mutation in the ryanodine receptor type 1 gene (Ferreiro et al) 2002;51:750

Multiple sclerosis
activity of the hypothalamic-pituitary-adrenal axis in multiple sclerosis: correlations with gadolinium-enhancing lesions and ventricular volume (Schumann et al) 2002; 51:763
adaptive functional changes in the cerebral cortex of patients with nondisabling multiple sclerosis correlate with the extent of brain structural damage (Rocca et al) 2002;51:330
age-related disability in multiple sclerosis (Trojano et al) 2002;51:475
antibody-mediated suppression of Vβ5.2/5.3$^+$ T cells in multiple sclerosis: results from an MRI-monitored phase II clinical trial (Killestein et al) 2002;51:467
diffuse signal abnormalities in the spinal cord in multiple sclerosis: direct postmortem in situ magnetic resonance imaging correlated with in vitro high-resolution magnetic resonance imaging and histopathology (Bergers et al) 2002;51:652
interferon-β therapy for multiple sclerosis induced reciprocal changes in interleukin-12 and interleukin-10 production (Byrnes et al) 2002;51:165
new diagnostic criteria for multiple sclerosis (McDonald) 2002;51:534 (Reply)
new diagnostic criteria for multiple sclerosis (Petereit and Heiss) 2002;51:533 (Letter)
studies of mitochondrial DNA in Devic's disease revealed no pathogenic mutations, but polymorphisms also found in association with multiple sclerosis (Kalman and Mandler) 2002;51:661 (Letter)

Multiple sclerosis, early
interferon β-1a for early multiple sclerosis: CHAMPS trial subgroup analyses (Beck et al) 2002;51:481

Muscle oxygen consumption
near-infrared spectroscopy in chronic progressive external ophthalmoplegia: adipose tissue thickness confounds decreased muscle oxygen consumption (van Beekvelt et al) 2002;51:272 (Letter)

Muscle strength
increase in hand muscle strength of stroke patients after somatosensory stimulation (Conforto et al) 2002;51:122

Muscular atrophy, spinal
mapping of autosomal recessive chronic distal spinal muscular atrophy to chromosome 11q13 (Viollet et al) 2002;51:585

Muscular dystrophy, limb girdle
a novel, blood-based diagnostic assay for limb girdle muscular dystrophy 2B and Miyoshi myopathy (Ho et al) 2002;51:129

Mutations
Charcot-Marie-Tooth disease and related neuropathies: mutation distribution and genotype-phenotype correlation (Boerkoel et al) 2002;51:190
childhood cerebellar hemangioblastoma does not predict germline or somatic mutations in the von Hippel-Lindau tumor suppressor gene (Fisher et al) 2002;51: 257
further evidence that *SPG3A* gene mutations cause autosomal dominant hereditary spastic paraplegia (Muglia et al) 2002;51:794 (Letter)
late-onset frontotemporal dementia with a novel exon 1 (Arg5His) tau gene mutation (Hayashi et al) 2002;51: 525
mitochondrial DNA C4171A/ND1 is a novel primary causative mutation of Leber's hereditary optic neuropathy with a good prognosis (Kim et al) 2002;51:630
MRI in Leigh syndrome with SURF1 gene mutation (Rahman et al) 2002;51:139 (Reply)
MRI in Leigh syndrome with SURF1 gene mutation (Savoiardo et al) 2002;51:138 (Letter)
mutations in each of the five subunits of translation initiation factor eIF2B can cause leukoencephalopathy with vanishing white matter (van der Knaap et al) 2002;51:264
novel delta subunit mutation in slow-channel syndrome causes severe weakness by novel mechanisms (Gomez et al) 2002;51:102
a novel D104G mutation in the adenine nucleotide translocator 1 gene in autosomal dominant progressive external ophthalmoplegia patients with mitochondrial DNA with multiple deletions (Komaki et al) 2002;51: 645
novel heteroplasmic mtDNA mutation in a family with heterogeneous clinical presentations (Corona et al) 2002;51:118
a novel *tau* mutation, S320F, causes a tauopathy with inclusions similar to those in Pick's disease (Rosso et al) 2002;51:373

periaxin mutations cause a broad spectrum of demyelinating neuropathies (Takashima et al) 2002;51:709
polymerase chain reaction amplification of expanded AT-TCT repeat in spinocerebellar ataxia type 10 (Matsuura and Ashizawa) 2002;51:271 (Letter)
a recessive form of central core disease, transiently as multi-minicore disease, is associated with a homozygous mutation in the ryanodine receptor type 1 gene (Ferreiro et al) 2002;51:750
role of parkin mutations in 111 community-based patients with early-onset parkinsonism (Kann et al) 2002;51:621
septo-optic dysplasia associated with a new mitochondrial *cytochrome b* mutation (Schuelke et al) 2002;51:388

Myasthenia
novel delta subunit mutation in slow-channel syndrome causes severe weakness by novel mechanisms (Gomez et al) 2002;51:102

Myelin
myelin-derived glycolipids and animal models of Guillain-Barré syndrome (Toyka et al) 2002;51:532 (Letter)
myelin-derived glycolipids and animal models of Guillain-Barré syndrome (Yuki et al) 2002;51:532 (Reply)

Myokymia, superior oblique
superior oblique myokymia: magnetic resonance imaging support for the neurovascular compression hypothesis (Yousry et al) 2002;51:361

Myopathy, mitochondrial
venous oxygen levels during aerobic forearm exercise: an index of impaired oxidative metabolism in mitochondrial myopathy (Taivassalo et al) 2002;51:38

Myopathy, Miyoshi
a novel, blood-based diagnostic assay for limb girdle muscular dystrophy 2B and Miyoshi myopathy (Ho et al) 2002;51:129

Myopathy, X-linked
electrophysiological findings in X-linked myopathy with excessive autophagy (Jääskeläinen et al) 2002;51:648

Narcolepsy
low cerebrospinal fluid hypocretin (orexin) and altered energy homeostasis in human narcolepsy (Nishino et al) 2002;51:660 (Reply)
low cerebrospinal fluid hypocretin (orexin) and altered energy homeostasis in human narcolepsy (Schuld et al) 2002;51:660 (Letter)
the prevalence of narcolepsy among Chinese in Hong Kong (Wing et al) 2002;51:578

ND6 gene
mitochondrial DNA nucleotide changes C14482G and C14482A in the ND6 gene are pathogenic for Leber's hereditary optic neuropathy (Valentino et al) 2002;51:774

Near-infrared spectroscopy
near-infrared spectroscopy in chronic progressive external ophthalmoplegia: adipose tissue thickness confounds decreased muscle oxygen consumption (van Beekvelt et al) 2002;51:272 (Letter)

Nemaline rods
familial cardioneuromyopathy with hyaline masses and nemaline rods: a novel phenotype (Selcen et al) 2002;51:224

Neonatal convulsions, familial
KCNQ2, a voltage-gated potassium channel implicated in benign familial neonatal convulsions, is bound to calmodulin (Shivakumar and Cooper) 2002;51:414 (Correction)

Neonatal excitotoxicity
melatoninergic neuroprotection of the murine periventricular white matter against neonatal excitotoxic challenge (Husson et al) 2002;51:82

Nerve regeneration, peripheral
factors that influence peripheral nerve regeneration: an electrophysiological study of the monkey median nerve (Krarup et al) 2002;51:69

Neuromyelitis optica
studies of mitochondrial DNA in Devic's disease revealed no pathogenic mutations, but polymorphisms also found in association with multiple sclerosis (Kalman and Mandler) 2002;51:661 (Letter)

Neuronal antibody
paraneoplastic chorea associated with CRMP-5 neuronal antibody and lung carcinoma (Vernino et al) 2002;51:625

Neuronal intranuclear inclusions
protein surveillance machinery in brains with spinocerebellar ataxia type 3: redistribution and differential recruitment of 26S proteasome subunits and chaperones to neuronal intranuclear inclusions (Schmidt et al) 2002;51:302

Neuropathy
Charcot-Marie-Tooth disease and related neuropathies: mutation distribution and genotype-phenotype correlation (Boerkoel et al) 2002;51:190
in vivo gene therapy for pyridoxine-induced neuropathy by herpes simplex virus-mediated gene transfer of neurotrophin-3 (Chattopadhyay et al) 2002;51:19
X-linked lissencephaly with absent corpus callosum and ambiguous genitalia (XLAG): clinical, magnetic resonance imaging, and neuropathological findings (Bonneau et al) 2002;51:340

Neuropathy, demyelinating
periaxin mutations cause a broad spectrum of demyelinating neuropathies (Takashima et al) 2002;51:709

Neuropathy, motor and sensory
hereditary motor and sensory neuropathy with minifascicle formation in a patient with 46XY pure gonadal dysgenesis: a new clinical entity (Sugie et al) 2002;51:385

Neuropathy, optic
mitochondrial DNA C4171A/ND1 is a novel primary causative mutation of Leber's hereditary optic neuropathy with a good prognosis (Kim et al) 2002;51:630
mitochondrial DNA nucleotide changes C14482G and C14482A in the ND6 gene are pathogenic for Leber's hereditary optic neuropathy (Valentino et al) 2002;51:774

Neuroprotection
melatoninergic neuroprotection of the murine periventricular white matter against neonatal excitotoxic challenge (Husson et al) 2002;51:82

Neurotrophic factors
is the therapeutic application of neurotrophic factors dead? (Apfel) 2002;51:8 (Editorial)

Neurotrophin
in vivo gene therapy for pyridoxine-induced neuropathy by herpes simplex virus-mediated gene transfer of neurotrophin-3 (Chattopadhyay et al) 2002;51:19

Neurovascular compression hypothesis
superior oblique myokymia: magnetic resonance imaging support for the neurovascular compression hypothesis (Yousry et al) 2002;51:361

Nipah encephalitis
relapsed and late-onset Nipah encephalitis (Tan et al) 2002;51:703
Nord-Trøndelag Health Study
high headache prevalence among women with hemochromatosis: the Nord-Trøndelag Health Study (Hagen et al) 2002;51:786
Notices
reporting clinical trials: full access to all the data (Rosenberg et al) 2002;51:2
Nuclear factor-κB
nuclear factor-κB as a molecular target for migraine therapy (Reuter et al) 2002;51:507
Nun Study
Alzheimer's neurofibrillary pathology and the spectrum of cognitive function: findings from the Nun Study (Riley et al) 2002;51:567

Obituaries
Leonard T. Kurland: 1921–2001 (Whisnant and Mulder) 2002;51:663
John N. Whitaker, MD: 1940–2001 (Asbury) 2002;51:141
Occlusion, middle cerebral artery
functional recovery and neuroanatomical plasticity following middle cerebral artery occlusion and IN-1 antibody treatment in the adult rat (Papadopoulos et al) 2002;51:433
Ophthalmoplegia, external
near-infrared spectroscopy in chronic progressive external ophthalmoplegia: adipose tissue thickness confounds decreased muscle oxygen consumption (van Beekvelt et al) 2002;51:272 (Letter)
a novel D104G mutation in the adenine nucleotide translocator 1 gene in autosomal dominant progressive external ophthalmoplegia patients with mitochondrial DNA with multiple deletions (Komaki et al) 2002;51:645
Optic nerve
N-acetylaspartate is an axon-specific marker of mature white matter in vivo: a biochemical and immunohistochemical study on the rat optic nerve (Bjartmar et al) 2002;51:51
Optic neuropathy, Leber's
mitochondrial DNA C4171A/ND1 is a novel primary causative mutation of Leber's hereditary optic neuropathy with a good prognosis (Kim et al) 2002;51:630
mitochondrial DNA nucleotide changes C14482G and C14482A in the ND6 gene are pathogenic for Leber's hereditary optic neuropathy (Valentino et al) 2002;51:774
Orexin
low cerebrospinal fluid hypocretin (orexin) and altered energy homeostasis in human narcolepsy (Nishino et al) 2002;51:660 (Reply)
low cerebrospinal fluid hypocretin (orexin) and altered energy homeostasis in human narcolepsy (Schuld et al) 2002;51:660 (Letter)
Ovarian hormones
effects of ovarian hormones on human cortical excitability (Smith et al) 2002;51:599
Oxcarbazepine
effects of oxcarbazepine on sodium concentration and water handling (Sachdeo et al) 2002;51:613
Oxygen
venous oxygen levels during aerobic forearm exercise: an index of impaired oxidative metabolism in mitochondrial myopathy (Taivassalo et al) 2002;51:38
Oxygen consumption, muscle
near-infrared spectroscopy in chronic progressive external ophthalmoplegia: adipose tissue thickness confounds decreased muscle oxygen consumption (van Beekvelt et al) 2002;51:272 (Letter)

Palsy, cranial nerve
cranial nerve palsies: herpes simplex virus type 1 and varicella-zoster virus latency (Theil et al) 2002;51:273 (Letter)
Paraneoplastic chorea
paraneoplastic chorea associated with CRMP-5 neuronal antibody and lung carcinoma (Vernino et al) 2002;51:625
Paraplegia, hereditary spastic
further evidence that *SPG3A* gene mutations cause autosomal dominant hereditary spastic paraplegia (Muglia et al) 2002;51:794 (Letter)
hereditary spastic paraplegia: the pace quickens (Fink) 2002;51:669 (Editorial)
novel locus for autosomal dominant pure hereditary spastic paraplegia (SPG19) maps to chromosome 9q33–q34 (Valente et al) 2002;51:681
PARK6
PARK6-linked parkinsonism occurs in several European families (Valente et al) 2002;51:14
PARK7
localization of autosomal recessive early-onset parkinsonism to chromosome 1p36 *(PARK7)* in an independent dataset (Bonifati et al) 2002;51:253
PARK8
a new locus for Parkinson's disease *(PARK8)* maps to chromosome 12p11.2–q13.1 (Funayama et al) 2002;51:296
***parkin* gene**
role of parkin mutations in 111 community-based patients with early-onset parkinsonism (Kann et al) 2002;51:621
Parkinsonism
PARK6-linked parkinsonism occurs in several European families (Valente et al) 2002;51:14
Parkinsonism, early-onset
localization of autosomal recessive early-onset parkinsonism to chromosome 1p36 *(PARK7)* in an independent dataset (Bonifati et al) 2002;51:253
role of parkin mutations in 111 community-based patients with early-onset parkinsonism (Kann et al) 2002;51:621
Parkinson's disease
association studies of multiple candidate genes for Parkinson's disease using single nucleotide polymorphisms (Momose et al) 2002;51:133, 2002;51:534
combined effect of age and severity on the risk of dementia in Parkinson's disease (Levy et al) 2002;51:722
dopaminergic modulation of cortical function in patients with Parkinson's disease (Mattay et al) 2002;51:156
impact of sustained deprenyl (selegiline) in levodopa-treated Parkinson's disease: a randomized placebo-controlled extension of the deprenyl and tocopherol antioxidative therapy of parkinsonism trial (Shoulson et al) 2002;51:604
a new locus for Parkinson's disease *(PARK8)* maps to chromosome 12p11.2–q13.1 (Funayama et al) 2002;51:296

Parkinson's genetics: an embarrassment of riches (Gwinn-Hardy and Farrer) 2002;51:7 (Editorial)

Parkinson's disease, sporadic
brain proteasomal function in sporadic Parkinson's disease and related disorders (Furukawa et al) 2002;51:779

Pediatrics; *see* Children

Perfusion computed tomography
prognostic accuracy of cerebral blood flow measurement by perfusion computed tomography, at the time of emergency room admission, in acute stroke patients (Wintermark et al) 2002;51:417

Periaxin gene
periaxin mutations cause a broad spectrum of demyelinating neuropathies (Takashima et al) 2002;51:709

Peripheral nerve regeneration
factors that influence peripheral nerve regeneration: an electrophysiological study of the monkey median nerve (Krarup et al) 2002;51:69

Periventricular white matter
melatoninergic neuroprotection of the murine periventricular white matter against neonatal excitotoxic challenge (Husson et al) 2002;51:82

Peroxisome proliferator-activated receptor-γ
peroxisome proliferator-activated receptor-γ agonists prevent experimental autoimmune encephalomyelitis (Feinstein et al) 2002;51:694

Phenobarbital
phenobarbital and MK-799, but not phenytoin, improve the long-term outcome of status epilepticus (Prasad et al) 2002;51:175

Phenotype
Charcot-Marie-Tooth disease and related neuropathies: mutation distribution and genotype-phenotype correlation (Boerkoel et al) 2002;51:190
familial cardioneuromyopathy with hyaline masses and nemaline rods: a novel phenotype (Selcen et al) 2002;51:224

Phenytoin
phenobarbital and MK-799, but not phenytoin, improve the long-term outcome of status epilepticus (Prasad et al) 2002;51:175

Pick's disease
a novel *tau* mutation, S320F, causes a tauopathy with inclusions similar to those in Pick's disease (Rosso et al) 2002;51:373
sporadic Pick's disease: a tauopathy characterized by a spectrum of pathological τ isoforms in gray and white matter (Zhukareva et al) 2002;51:730

Pituitary gland
activity of the hypothalamic-pituitary-adrenal axis in multiple sclerosis: correlations with gadolinium-enhancing lesions and ventricular volume (Schumann et al) 2002;51:763

Plasticity
functional recovery and neuroanatomical plasticity following middle cerebral artery occlusion and IN-1 antibody treatment in the adult rat (Papadopoulos et al) 2002;51:433
modulation of use-dependent plasticity by D-amphetamine (Bütefisch et al) 2002;51:59

Platelet-activating factor acetylhydrolase
platelet-activating factor acetylhydrolase activity in cerebrospinal fluid of children with acute systemic or neurological illness (Chang et al) 2002;51:760

Pneumococcal meningitis
role of caspase-1 in experimental pneumococcal meningitis: evidence from pharmacologic caspase inhibition and caspase-1-deficient mice (Koedel et al) 2002;51:319

Polymerase chain reaction
polymerase chain reaction amplification of expanded AT-TCT repeat in spinocerebellar ataxia type 10 (Matsuura and Ashizawa) 2002;51:271 (Letter)

Positron emission tomography
insular cortex involvement in mesiotemporal lobe epilepsy: a positron emission tomography study (Bouilleret et al) 2002;51:202

Potassium channels, voltage-gated
KCNQ2, a voltage-gated potassium channel implicated in benign familial neonatal convulsions, is bound to calmodulin (Shivakumar and Cooper) 2002;51:414 (Correction)

Prefrontal cortex
dopaminergic modulation of cortical function in patients with Parkinson's disease (Mattay et al) 2002;51:156

Prion protein
prion protein deposits match magnetic resonance imaging signal abnormalities in Creutzfeldt-Jakob disease (Haïk et al) 2002;51:797 (Letter)

Prodynorphin gene *(PDYN)* promoter
a functional polymorphism in the prodynorphin gene promotor is associated with temporal lobe epilepsy (Stögmann et al) 2002;51:260

Proteasome
brain proteasomal function in sporadic Parkinson's disease and related disorders (Furukawa et al) 2002;51:779
protein surveillance machinery in brains with spinocerebellar ataxia type 3: redistribution and differential recruitment of 26S proteasome subunits and chaperones to neuronal intranuclear inclusions (Schmidt et al) 2002;51:302

Rasmussen's encephalitis
destruction of neurons by cytotoxic T cells: a new pathogenic mechanism in Rasmussen's encephalitis (Bien et al) 2002;51:311

Regeneration, peripheral nerve
factors that influence peripheral nerve regeneration: an electrophysiological study of the monkey median nerve (Krarup et al) 2002;51:69

Reproductive function
altered reproductive endocrine regulation in men with epilepsy: implications for reproductive function and seizures (Herzog) 2002;51:539 (Editorial)

Rotterdam Scan Study
homocysteine, silent brain infarcts, and white matter lesions: the Rotterdam Scan Study (Vermeer et al) 2002;51:285

Ryanodine receptor type 1
a recessive form of central core disease, transiently as multi-minicore disease, is associated with a homozygous mutation in the ryanodine receptor type 1 gene (Ferreiro et al) 2002;51:750

β-Secretase
increased expression of the amyloid precursor β-secretase in Alzheimer's disease (Holsinger et al) 2002;51:783

Seizures
altered reproductive endocrine regulation in men with epilepsy: implications for reproductive function and seizures (Herzog) 2002;51:539 (Editorial)

seizure-associated hippocampal volume loss: a longitudinal magnetic resonance study of temporal lobe epilepsy (Briellmann et al) 2002;51:641

Selegiline
impact of sustained deprenyl (selegiline) in levodopa-treated Parkinson's disease: a randomized placebo-controlled extension of the deprenyl and tocopherol antioxidative therapy of parkinsonism trial (Shoulson et al) 2002;51:604

Sensorimotor cortex
loss of interhemispheric inhibition on the ipsilateral primary sensorimotor cortex in patients with brachial plexus injury: fMRI study (Hsieh et al) 2002;51:381

Sensory neuropathy, hereditary
hereditary motor and sensory neuropathy with minifascicle formation in a patient with 46XY pure gonadal dysgenesis: a new clinical entity (Sugie et al) 2002;51:385

Sensory training
sensory training for patients with focal hand dystonia (Zeuner et al) 2002;51:593

Septo-optic dysplasia
septo-optic dysplasia associated with a new mitochondrial *cytochrome b* mutation (Schuelke et al) 2002;51:388

Sickle cell disease
sickle cell disease: the neurological complications (Prengler et al) 2002;51:543

Silent brain infarcts
homocysteine, silent brain infarcts, and white matter lesions: the Rotterdam Scan Study (Vermeer et al) 2002;51:285

Single nucleotide polymorphisms
association studies of multiple candidate genes for Parkinson's disease using single nucleotide polymorphisms (Momose et al) 2002;51:133, 2002;51:534

Slow-channel syndrome
novel delta subunit mutation in slow-channel syndrome causes severe weakness by novel mechanisms (Gomez et al) 2002;51:102

SMN1 (survival motor neuron) gene
abnormal SMN1 gene copy number is a susceptibility factor for amyotrophic lateral sclerosis (Corcia et al) 2002;51:243

Sodium
effects of oxcarbazepine on sodium concentration and water handling (Sachdeo et al) 2002;51:613

Somatosensory stimulation
increase in hand muscle strength of stroke patients after somatosensory stimulation (Conforto et al) 2002;51:122

Spastic paraplegia, hereditary
further evidence that *SPG3A* gene mutations cause autosomal dominant hereditary spastic paraplegia (Muglia et al) 2002;51:794 (Letter)
hereditary spastic paraplegia: the pace quickens (Fink) 2002;51:669 (Editorial)
novel locus for autosomal dominant pure hereditary spastic paraplegia (SPG19) maps to chromosome 9q33–q34 (Valente et al) 2002;51:681

***SPG3A* gene**
further evidence that *SPG3A* gene mutations cause autosomal dominant hereditary spastic paraplegia (Muglia et al) 2002;51:794 (Letter)

***SPG19* gene**
novel locus for autosomal dominant pure hereditary spastic paraplegia (SPG19) maps to chromosome 9q33–q34 (Valente et al) 2002;51:681

Spinal cord
diffuse signal abnormalities in the spinal cord in multiple sclerosis: direct postmortem in situ magnetic resonance imaging correlated with in vitro high-resolution magnetic resonance imaging and histopathology (Bergers et al) 2002;51:652

Spinal muscular atrophy, chronic distal
mapping of autosomal recessive chronic distal spinal muscular atrophy to chromosome 11q13 (Viollet et al) 2002;51:585

Spinocerebellar ataxia type 3
protein surveillance machinery in brains with spinocerebellar ataxia type 3: redistribution and differential recruitment of 26S proteasome subunits and chaperones to neuronal intranuclear inclusions (Schmidt et al) 2002;51:302

Spinocerebellar ataxia type 10
polymerase chain reaction amplification of expanded ATTCT repeat in spinocerebellar ataxia type 10 (Matsuura and Ashizawa) 2002;51:271 (Letter)
spinocerebellar ataxia type 10 in the French population (Fujigasaki et al) 2002;51:408 (Letter)
spinocerebellar ataxia type 10 in the French population (Rasmussen and Alonso) 2002;51:408 (Reply)

Status epilepticus
phenobarbital and MK-799, but not phenytoin, improve the long-term outcome of status epilepticus (Prasad et al) 2002;51:175

Strength, hand muscle
increase in hand muscle strength of stroke patients after somatosensory stimulation (Conforto et al) 2002;51:122

Stroke
diffusion- and perfusion-weighted MRI response to thrombolysis in stroke (Parsons et al) 2002;51:28
discontinuing chronic aspirin therapy: another risk factor for stroke? (Bachman) 2002;51:137 (Letter)
does the right make it right? questions about recovery of language after stroke (Hillis) 2002;51:537 (Editorial)
increase in hand muscle strength of stroke patients after somatosensory stimulation (Conforto et al) 2002;51:122
is homocysteine a causal and treatable risk factor for vascular diseases of the brain (cognitive impairment and stroke)? (Hankey) 2002;51:279 (Editorial)
thrombolysis in stroke beyond three hours: targeting patients with diffusion and perfusion MRI (Warach) 2002;51:11

Stroke, acute
contrast computed tomography scan in acute stroke: "you can't always get what you want but... you can get what you need" (Koroshetz and Lev) 2002;51:415
prognostic accuracy of cerebral blood flow measurement by perfusion computed tomography, at the time of emergency room admission, in acute stroke patients (Wintermark et al) 2002;51:417

Superior oblique myokymia
superior oblique myokymia: magnetic resonance imaging support for the neurovascular compression hypothesis (Yousry et al) 2002;51:361

SURF1 gene
MRI in Leigh syndrome with SURF1 gene mutation (Rahman et al) 2002;51:139 (Reply)
MRI in Leigh syndrome with SURF1 gene mutation (Savoiardo et al) 2002;51:138 (Letter)

Survival motor neuron gene SMN1
abnormal SMN1 gene copy number is a susceptibility factor for amyotrophic lateral sclerosis (Corcia et al) 2002;51:243

T cells
antibody-mediated suppression of Vβ5.2/5.3$^+$ T cells in multiple sclerosis: results from an MRI-monitored phase II clinical trial (Killestein et al) 2002;51:467
T cells, cytotoxic
destruction of neurons by cytotoxic T cells: a new pathogenic mechanism in Rasmussen's encephalitis (Bien et al) 2002;51:311
τ *(tau)*
late-onset frontotemporal dementia with a novel exon 1 (Arg5His) tau gene mutation (Hayashi et al) 2002;51:525
a novel *tau* mutation, S320F, causes a tauopathy with inclusions similar to those in Pick's disease (Rosso et al) 2002;51:373
parahippocampal tau pathology in helathy aging, mild cognitive impairment, and early Alzheimer's disease (Mitchell et al) 2002;51:182
sporadic Pick's disease: a tauopathy characterized by a spectrum of pathological τ isoforms in gray and white matter (Zhukareva et al) 2002;51:730
Tauopathy
a novel *tau* mutation, S320F, causes a tauopathy with inclusions similar to those in Pick's disease (Rosso et al) 2002;51:373
sporadic Pick's disease: a tauopathy characterized by a spectrum of pathological τ isoforms in gray and white matter (Zhukareva et al) 2002;51:730
Temporal lobe epilepsy
a functional polymorphism in the prodynorphin gene promotor is associated with temporal lobe epilepsy (Stögmann et al) 2002;51:260
interictal and postictal alterations of pulsatile secretions of luteinizing hormone in temporal lobe epilepsy in men (Quigg et al) 2002;51:559
seizure-associated hippocampal volume loss: a longitudinal magnetic resonance study of temporal lobe epilepsy (Briellmann et al) 2002;51:641
verbal memory in left temporal lobe epilepsy: evidence for task-related localization (Weintrob et al) 2002;51:442
Temporal lobe infarction
a physiological change in the homotopic cortex following left posterior temporal lobe infarction (Leff et al) 2002;51:553
Temporoparietal language areas
development of a functional magnetic resonance imaging protocol for intraoperative localization of critical temporoparietal language areas (Rutten et al) 2002;51:350
Tetracycline
inhibition of autoimmune encephalomyelitis by a tetracycline (Popovic et al) 2002;51:215
Tetralinoleoyl-cardiolipin
deficiency of tetralinoleoyl-cardiolipin in Barth syndrome (Schlame et al) 2002;51:634
Thrombolysis
diffusion- and perfusion-weighted MRI response to thrombolysis in stroke (Parsons et al) 2002;51:28
thrombolysis in stroke beyond three hours: targeting patients with diffusion and perfusion MRI (Warach) 2002;51:11
thrombolysis induces cerebral hemorrhage in a mouse model of cerebral amyloid angiopathy (Winkler et al) 2002;51:790
Translation initiation factors
mutations in each of the five subunits of translation initiation factor eIF2B can cause leukoencephalopathy with vanishing white matter (van der Knaap et al) 2002;51:264
Tremor, essential
effective treatment for essential tremor (Louis et al) 2002;51:407 (Reply)
effective treatment for essential tremor (Young) 2002;51:407 (Letter)
Trochlear nerve
superior oblique myokymia: magnetic resonance imaging support for the neurovascular compression hypothesis (Yousry et al) 2002;51:361
Tumors, brain
brain white matter anatomy of tumor patients evaluated with diffusion tensor imaging (Mori et al) 2002;51:377
Twins, monozygous
monozygous twins discordant for epilepsy (Brodtkorb) 2002;51:137 (Letter)
Tyrosine hydroxylase
brain biopterin and tyrosine hydroxylase in asymptomatic dopa-responsive dystonia (Furukawa et al) 2002;51:637

Use-dependent plasticity
modulation of use-dependent plasticity by D-amphetamine (Bütefisch et al) 2002;51:59

Vaccination, β-amyloid
toxicity of β-amyloid vaccination in patients with Alzheimer's disease (Imbimbo) 2002;51:794 (Letter)
Vanishing white matter
mutations in each of the five subunits of translation initiation factor eIF2B can cause leukoencephalopathy with vanishing white matter (van der Knaap et al) 2002;51:264
Varicella-zoster virus
cranial nerve palsies: herpes simplex virus type 1 and varicella-zoster virus latency (Theil et al) 2002;51:273 (Letter)
Vascular disease
is homocysteine a causal and treatable risk factor for vascular diseases of the brain (cognitive impairment and stroke)? (Hankey) 2002;51:279 (Editorial)
Venous oxygen levels
venous oxygen levels during aerobic forearm exercise: an index of impaired oxidative metabolism in mitochondrial myopathy (Taivassalo et al) 2002;51:38
Ventricular volume
activity of the hypothalamic-pituitary-adrenal axis in multiple sclerosis: correlations with gadolinium-enhancing lesions and ventricular volume (Schumann et al) 2002;51:763
Verbal memory
verbal memory in left temporal lobe epilepsy: evidence for task-related localization (Weintrob et al) 2002;51:442
Voltage-gated potassium channels
KCNQ2, a voltage-gated potassium channel implicated in benign familial neonatal convulsions, is bound to calmodulin (Shivakumar and Cooper) 2002;51:414 (Correction)
von Hippel-Lindau gene
childhood cerebellar hemangioblastoma does not predict germline or somatic mutations in the von Hippel-Lindau tumor suppressor gene (Fisher et al) 2002;51:257

Water handling
effects of oxcarbazepine on sodium concentration and water handling (Sachdeo et al) 2002;51:613
Weakness
comparison of weakness progression in inclusion body myositis during treatment with methotrexate or placebo (Badrising et al) 2002;51:369
novel delta subunit mutation in slow-channel syndrome causes severe weakness by novel mechanisms (Gomez et al) 2002;51:102
Whitaker, John N.
John N. Whitaker, MD: 1940–2001 (Asbury) 2002;51:141 (Obituary)
White matter
N-acetylaspartate is an axon-specific marker of mature white matter in vivo: a biochemical and immunohistochemical study on the rat optic nerve (Bjartmar et al) 2002;51:51
brain white matter anatomy of tumor patients evaluated with diffusion tensor imaging (Mori et al) 2002;51:377
homocysteine, silent brain infarcts, and white matter lesions: the Rotterdam Scan Study (Vermeer et al) 2002;51:285
melatoninergic neuroprotection of the murine periventricular white matter against neonatal excitotoxic challenge (Husson et al) 2002;51:82
mutations in each of the five subunits of translation initiation factor eIF2B can cause leukoencephalopathy with vanishing white matter (van der Knaap et al) 2002;51:264
sporadic Pick's disease: a tauopathy characterized by a spectrum of pathological τ isoforms in gray and white matter (Zhukareva et al) 2002;51:730
Women
Alzheimer's neurofibrillary pathology and the spectrum of cognitive function: findings from the Nun Study (Riley et al) 2002;51:567
high headache prevalence among women with hemochromatosis: the Nord-Trøndelag Health Study (Hagen et al) 2002;51:786

X-linked lissencephaly
X-linked lissencephaly with absent corpus callosum and ambiguous genitalia (XLAG): clinical, magnetic resonance imaging, and neuropathological findings (Bonneau et al) 2002;51:340
X-linked mental retardation
novel mental retardation–epilepsy syndrome linked to Xp21.1–p11.4 (Hedera et al) 2002;51:45
X-linked myopathy
electrophysiological findings in X-linked myopathy with excessive autophagy (Jääskeläinen et al) 2002;51:648
46XY pure gonadal dysgenesis
hereditary motor and sensory neuropathy with minifascicle formation in a patient with 46XY pure gonadal dysgenesis: a new clinical entity (Sugie et al) 2002;51:385